
Exchange Format Description

Release 1.2.1

Andrew M. Barna, James H. Swift, Stephen C. Diggs

2024-03-23

CONTENTS

1	Introduction	1
1.1	Overview	1
1.2	File Types and Names	1
1.3	Requirement Levels	2
1.4	About Text Encodings and UTF-8	2
2	Common Format Features	3
2.1	File Requirements	3
2.2	File Format Indicator	4
2.3	Optional Comment Lines	5
2.4	Parameter and Unit Lines	5
2.5	Data Lines	6
2.6	Post Data Content	7
2.7	Examples	8
3	Bottle Specific	9
3.1	Required Bottle Parameters	9
3.2	Unique Line Identification	9
3.3	Example Bottle Data	10
4	CTD Specific	13
4.1	Additional CTD Headers	13
4.2	CTD required headers	14
4.3	CTD Optional Headers	14
4.4	Preferred Header Order	15
4.5	User Headers	15
4.6	Example CTD Data	15
4.7	Structure of ZIP CTD Archives	16
5	Quality Codes	17
5.1	WOCE Bottle Quality Codes	17
5.2	WOCE Water Sample Quality Codes	18
5.3	WOCE CTD Quality Codes	18
6	Parameters	20
6.1	About Parameters	20
6.2	Unlisted Parameters	21
6.3	Parameters	21
7	Changelog	139
7.1	2024-03-22 (1.2.1)	139

7.2	2022-03-22	139
7.3	2022-01-25	139
7.4	2016-01-08 (1.2)	140
7.5	2016-01-06 (1.1)	140
7.6	2015-11-16 (1.0.1)	140
7.7	2015-10-29	141
7.8	2015-04-27	141
7.9	2015-01-21	141
7.10	2014-08-18	141
7.11	2014-07-24	141
7.12	2014-07-16	141
Bibliography		142
Index		143

INTRODUCTION

This document will describe the WHP-Exchange formats used by the CCHDO for CTD and bottle. The WHP-exchange formats provide simplified exchange and improved readability of hydrographic data. WHP-exchange data files carry the essential information from CTD and water sample profiles. WHP-exchange is a rigorously-described comma-delimited (csv) format designed to ease data exchange and simplify data import.

1.1 Overview

The WHP-exchange bottle and CTD data formats include these features:

- UTF-8 Encoded
- Spreadsheet-like
- Comma-delimited values (csv)
- No special meaning to blank/empty spaces
- Station information in every line in the file (bottle) or in the top lines in each file (CTD)
- Only one missing data value defined for all parameters
- Positions in decimal degrees
- Dates in ISO 8601 YYYYMMDD format

1.2 File Types and Names

There are three types of WHP-exchange format files, each with a unique 8-character suffix:

Data Type	Filename Suffix	Description
CTD data	_ct1.csv	One CTD profile in WHP-exchange format
CTD data	_ct1.zip	Zip archive containing one or more _ct1.csv WHP-exchange CTD files
Bottle data	_hy1.csv	Data from one or more bottle profiles in WHP-exchange format

1.3 Requirement Levels

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC 2119](#).

1.4 About Text Encodings and UTF-8

1.4.1 Text on Computers

As strange as it may seem, there is no such thing in computing as ‘plain text’. Computers only understand binary, on or off, commonly represented by zeros and ones. For a series of zeros and ones to have meaning to humans, there needs to be an agreed upon standard for what any specific set of binary data represents. As an example, in 8-bit ASCII (ANSI X3.4-1986) the capital letter A is represented by the binary 01000001 (hex 41). 7-bit ASCII is limited to representing 127 characters, which is fine for most English speaking countries.

As the use of computers spread to non english speaking countries, it became necessary to extend the encodings to support other characters needed. However, most systems still only supported 8-bit bytes, with a maximum of 255 different characters it could represent. With more characters needing to be represented than space available, a proliferation of incompatible encoding standards occurred. There are at least 15 parts of ISO 8859, 6 JIS standards for Japanese, 3 for Chinese, 9 encodings specific to the Windows operating system, and 16 DOS code pages. Unicode was created to provide a unified way of representing all the characters which occur in most writing systems, including those of dead languages.

The unicode standard itself is not an encoding standard, but rather a list characters with a number assigned to each one, these numbers are what are called code points. For example, the capital letter A is the 65th letter in unicode, usually written in the hex 41. In the standard way of writing code points, this would be written as U+0041. You may notice that the unicode point for the capital letter A is the same as in ASCII, this feature was exploited to create the most common text encoding on the internet, UTF-8.

Character encodings were created to represent, in binary, all the code points allowed within unicode. One encoding in particular has become the dominant one for text on the internet¹, UTF-8. UTF-8 is a variable length encoding, meaning a character can take anywhere from 1 to 6 bytes to represent. In UTF-8 the first 127 characters of unicode are encoded with only byte. Since the first 127 code points in unicode are exactly the same as ASCII, the UTF-8 representation of any unicode character less than 128 is ASCII. This allows forward compatibility of ASCII with UTF-8, and if containing only code points below 128, a UTF-8 file to be backwards compatible with ASCII.

1.4.2 Unicode Representation in this Document

Character in this document will be defined as unicode points in the format U+#### where the # symbols are hexadecimal numbers. Since exchange files are defined to be UTF-8 encoded, this unambiguously specifies the exact bits which must occur in a file.

¹ As of May 2020, 95.0% of the text on the internet is encoded with UTF-8.

COMMON FORMAT FEATURES

Certain format specifications are shared between the bottle and CTD WHP-exchange files. Those common features are described in this section.

2.1 File Requirements

2.1.1 Encoding

WHP-exchange text files **MUST** be UTF-8 encoded.

Note: UTF-8 was chosen as the encoding for WHP-Exchange files because it is backwards compatible with ASCII. Valid ASCII files are also valid UTF-8 files. UTF-8 allows for the full range of unicode points to display non ASCII text.

Warning: Be careful if editing or creating files on Windows as the default text encoding is UTF-16. UTF-16 is not compatible with UTF-8 or ASCII.

2.1.2 Byte Order Marks

The UTF-8 encoded files **MUST NOT** include a BYTE ORDER MARK (U+FEFF).

Note: Not including a byte order mark ensures backwards compatibility with ASCII when the file contains only code points less than U+007F.

2.1.3 Line Endings

Lines in an exchange text file **MUST** end with a LINE FEED (U+000A) \n. Lines **MUST NOT** use any other form of line ending.

Changed in version 1.3: Disallow non “unix style” line endings.

2.2 File Format Indicator

The first bytes of a WHP-exchange file **MUST** contain a file identifier and **SHOULD** have a creation stamp separated by a COMMA (U+002C) ,.

2.2.1 Bottle File Indicator

The first bytes of a WHP-exchange bottle file must be the following 6 byte sequence 42 4F 54 54 4C 45. This is equivalent to BOTTLE when encoded in UTF-8.

2.2.2 CTD File Indicator

The first bytes of a WHP-exchange CTD file must be the following 3 byte sequence 43 54 44. This is equivalent to CTD when encoded in UTF-8.

Note: If while attempting to read a WHP-exchange file and the first line does not start with either byte sequence listed above an attempt to read the rest of the file will likely fail. When writing a WHP-exchange format reader, always check if this identification stamp is present and has a valid value.

2.2.3 Creation Stamp Convention

The creation stamp **SHOULD** contain the following information in the order presented, using the stamp 20140716CCHSIOCD as an example:

- 1) **20140716CCHSIOCD**: A date stamp in the form of YYYYMMDD (ISO 8601)
- 2) 20140716**CCHSIOCD**: The division (or group) of the institution that wrote the file, typically three characters. The CCHDO uses CCH as the division.
- 3) 20140716CCH**SIOCD**: The institution that the group is associated with, typically three characters. The CCHDO is located at the Scripps Institution of Oceanography, thus SIO is used.
- 4) 20140716CCHSIO**CD**: The initials of the person who wrote the file, typically three characters. Use only code points U+0041 to U+005A and for the initials. In this example, SCD.

Warning: Do not rely on the creation stamp to be the same length in every WHP-exchange file. While all the same elements **SHOULD** be present, their lengths may vary.

2.2.4 Examples

A bottle file identifier including a creation stamp might look like:

BOTTLE,20140716CCHSIOCD

A CTD file identifier including a creation stamp might look like:

CTD,20140716CCHSIOCD

Changed in version 1.3: Made explicit the exact bytes which should appear at the start of a file. Demote the file creation stamp to a strong recommendation.

2.3 Optional Comment Lines

After the *File Identification Stamp* any number of comment line, including none may appear. Comment lines start with a NUMBER SIGN (U+0023) #. Comment lines typically contain information about the file history and will often contain data citation information.

An example:

```
# This is one line of comments
# An additional line of comments
```

An example of the beginning of a file, including the *File Identification Stamp*:

```
BOTTLE,20140716CCHSIOSCD
# This is a comment line
# BOTTLE,20130215CCHSIOSCD
```

Note: Notice that an older *File Identification Stamp* is in a comment line. This is a convention often used by the CCHDO to record when changes were made to files

Warning: Comments may contain UTF-8 encoded code points above U+007F, especially in proper names that may be present with data citation information. If writing your own WHP-exchange reader, ensure that it can handle code points above U+007F or have it skip comment lines without trying to read them.

2.4 Parameter and Unit Lines

Warning: There are additional headers specific to CTD WHP-exchange files. See the *Additional CTD Headers* section for details on these additional headers.

After any format specific headers, the parameter and unit lines are next. The parameter names are first, units are second.

Parameter names are COMMA (U+002C) , separated values that define the columns the exchange file will contain. The names must be unique, capitalized, contain no empty fields, and not end with a trailing comma. The parameter names must contain only code points in the range U+0021 to U+007E except a COMMA (U+002C) ,. A trailing comma, or a comma that occurs at the end of the line with nothing else after it, MUST NOT be included on the parameter line. Certain parameter names, or parameter combinations, are required to be present. See the respective sections on *Required Bottle Parameters* and *CTD required headers* for information specific to each format.

The unit line contains information for the units of each parameter listed in the parameter line. The unit line, like the parameters, are comma separated values. Like the parameter names, units must contain only code points in the range U+0021 to U+007E except a COMMA (U+002C) ,. A trailing comma MUST NOT be included in the unit line. Units may contain empty fields if the parameter has no units. Units for a parameter must be in the same column as that parameter, essentially, the same number of commas occur before the parameter name and its unit.

Warning: Parameter names and units MUST NOT contain commas as part of the name or unit. Commas are reserved for separating the, names, units, and data into columns.

The parameter and unit lines of a CTD file might look like this:

```
CTDPRS ,CTDPRS_FLAG_W,CTDTMP,CTDSAL,CTDOXY
DBAR, , ITS-90,PSS-78,UMOL/KG
```

Note the presence of quality flag column (suffixed with `_FLAG_W`) which has the corresponding units of nothing denoted by two commas next to each other. For more information on quality flags, see the [Quality Codes](#) section. White space MUST have no meaning in the exchange format so it may be included for purely aesthetic reasons. The parameter and units could very easily have looked like:

```
CTDPRS , CTDPRS_FLAG_W, CTDTMP , CTDSAL , CTDOXY
DBAR,           , ITS-90, PSS-78, UMOL/KG
```

Note: Some technical details for formatting the whitespace.

While not strictly required, parameter, units, and data lines may contain whitespace matching the length of the print format of the parameter. This is a convention followed by the CCHDO to ease reading of files by humans. Quality flag columns usually have a 1 character width which will often cause the parameter/units and data to not be aligned into pretty columns.

2.5 Data Lines

The data lines occur directly after the unit line. Each line of data contains COMMA (U+002C) , separated values of related data. Each data point of the data line may contain any combination of characters from U+0020 to U+007F except a COMMA (U+002C) , . Like the [Parameter and Unit Lines](#), a trailing comma MUST NOT be included at the end of each line. Data points for each parameter of the [Parameter and Unit Lines](#) must be in the same column as that parameter, i.e. the same number of commas occur before the parameter label and the datum.

Numeric data which occurs on the data lines MUST only contain numbers, spaces, an optional decimal marker, and an optional negative sign. All whitespace within data lines has no semantic meaning. Integers may be represented as bare numerals with no decimal marker. All real numeric data (i.e. data that are real numbers) MUST be decimal and MUST represent their decimal mark using a FULL STOP (U+002E) . . For both negative real numbers and integers, prepend a HYPHEN-MINUS (U+002D) - to the numeric portion, positive real numbers MUST NOT be prefixed by a PLUS SIGN (U+002B) +.

The validity of each datum is determined by the parameter column in which it occurs. For example, the *EXPOCODE* column may contain any combination of letter, numbers, or symbols (except a comma). A *CTDPRS* column may only contain real decimal numbers (U+0030 to U+0039) using a FULL STOP (U+002E) . as the decimal mark.

Note: Parameters may have a different precision depending on how the measurement was made. The CCHDO maintains a list of parameter names which includes precisions for historic reasons. Previous versions of the Exchange format specification stated the CCHDO would pad “meaningless” zeros to the end of any data without enough precision. Newer software allows the CCHDO to keep the precision as reported, both less and more precise. For these and other reasons, a mix of precisions may occur in a column of data.

Always report the precision as measured.

Warning: The exchange format currently has no support for quoted strings within the parameter, unit, and data lines. This means it is not possible for any meaningful whitespace to be included.

After all data lines, the end of the data is indicated by a line containing only END_DATA. Here is a short example of what exchange data might look like:

```
2.0,2, 19.1840, 34.6935, 220.8
4.0,2, 19.1992, 34.6924, 220.7
6.0,2, 19.2002, 34.6922, 220.5
8.0,2, 19.2022, 34.6920, 220.5
END_DATA
```

2.5.1 Missing Data Values

Missing data may occur in any position of a column of data, including all positions. When data are missing from a column, a fill value must be used to indicate “no data”. The fill value in exchange files is HYPHEN-MINUS (U+002D) – followed by three DIGIT NINE (U+0039) 9, i.e. -999. No other characters other than whitespace should occur within the missing data position.

Missing data values MAY still have *Quality Codes* associated which can give information as to why the data are missing.

Here is an example of exchange data with missing values:

```
2.0,2, 19.1840, 34.6935, 220.8
4.0,2,      -999, 34.6924, 220.7
6.0,2, 19.2002, 34.6922,   -999
8.0,2, 19.2022, 34.6920, 220.5
END_DATA
```

Note: Previous versions of the exchange format specified that the fill value should be in the precision of the rest of the column. For example, if a salinity was missing from a column, it would have the fill value of -999.0000. This has changed for several reasons:

- The precision of the data within a column is not fixed.
- A few parameters have valid range which includes -999 as a numeric value.

When encountering older exchange files, the fill value might contain the extra zeros after the decimal point. In the majority of cases, these are fill values and not numeric values.

2.6 Post Data Content

After the END_DATA line, any additional content may be included without format restriction. Additional content after END_DATA MUST continue to be UTF-8 encoded.

2.7 Examples

Full examples of data in exchange format are presented in their specific sections:

- *Example Bottle Data*
- *Example CTD Data*

BOTTLE SPECIFIC

Exchange Bottle files follow all the common format specifications for their structure. The *File Format Indicator* of an exchange bottle file starts with BOTTLE. Each *data line* in an exchange bottle file represents a single bottle closure.

When ctd parameters are encountered within exchange bottle files (e.g. *CTDPRS*) they represent the corrected values being read by the CTD at the time of bottle closure, usually averaged over some interval.

In bottle files, specific parameters are REQUIRED to be present and have non fill values.

3.1 Required Bottle Parameters

The following parameters are REQUIRED to be present in exchange bottle files where the parameter name occurs within the *Parameter and Unit Lines* and their values be present in the *Data Lines*.

- *EXPCODE*
- *STNNBR*
- *CASTNO*
- *DATE*
- *LATITUDE*
- *LONGITUDE*
- *CTDPRS*
- *SAMPNO*

Changed in version 1.3: Removed *BTLNBR* as being one of two options for required columns.

3.2 Unique Line Identification

Since each *data line* of an exchange bottle file represents a single bottle closure, enough information must be present on each line to uniquely identify closure event. This is to allow the integration of all the measurements of samples taken from that bottle at a later time. The identification is done by requiring a combination of values from specific parameters to be unique throughout the file.

The following combination of parameters must have unique values:

- *EXPCODE*
- *STNNBR*
- *CASTNO*

- *SAMPNO*

Changed in version 1.3: Removed *BTNNBR* as a being a valid identifier for samples.

3.2.1 Unique Line Identification Examples

In these examples, the long parameter, unit, and data lines truncated by [...].

The following example exchange bottle data is all from the same cruise indicated by the expocode: 33R020131223, the same station: 1, the same cast 2, but the bottle number and sample numbers differ (24 and 23).

```

1 BOTTLE,20150327CCHSIORJL
2 # From submitted file a16s_2013_final_discrete_o2.csv:
3 # Merged parameters: OXYGEN_FLAG_W
4 EXPOCODE,STNNBR,CASTNO,SAMPNO,BTLNBR[...]
5 ,,,,[...]
6 33R020131223,      1,      2,      24,      24[...]
7 33R020131223,      1,      2,      23,      23[...]
8 END_DATA

```

The following example shows an example of duplicated unique identification parameter values. More than one line contains the exact same values for *EXPOCODE*, *STNNBR*, *CASTNO*, and *SAMPNO*.

```

1 BOTTLE,20150327CCHSIORJL
2 # From submitted file a16s_2013_final_discrete_o2.csv:
3 # Merged parameters: OXYGEN_FLAG_W
4 EXPOCODE,STNNBR,CASTNO,SAMPNO,BTLNBR[...]
5 ,,,,[...]
6 33R020131223,      1,      2,      24,      24[...]
7 33R020131223,      1,      2,      24,      23[...]
8 END_DATA

```

3.3 Example Bottle Data

An example bottle exchange file is provided on the next page.

11

The basic structure is:

- Line 1: *File Format Indicator* starting with BOTTLE
- Line 2, 3: *Optional Comment Lines*
- Lines 3, 4: *Parameter and Unit Lines*
- Lines 6-11: *Data Lines*.

CTD SPECIFIC

Exchange CTD files follow all the common format specifications with the addition of some header information. They MUST only contain one profile per file.

4.1 Additional CTD Headers

Rather than encode information which would remain constant throughout the cast with the *Data Lines*, Exchange CTD files store this information in headers that appear after the *Optional Comment Lines*, but before the *Parameter and Unit Lines*. These headers follow the basic form:

```
PARAM = VALUE
```

Where the PARAM is some parameter name (e.g. DEPTH) and the VALUE is the value for that parameter (e.g. 4523). The PARAM, with the exception of *NUMBER_HEADERS*, MAY be any parameter in the *Parameters* section. The format of VALUE must conform to the data type listed for the parameter in the *Parameters* section. The PARAM and VALUE are separated by a EQUALS SIGN (U+003D) =, there is no meaning to any whitespace. Each param-value pair ends end with a line-ending character. There is no limit to how many headers may be present, as long the *NUMBER_HEADERS* value is set correctly.

Note: Any parameter which has a constant value for the entire cast MAY appear in the CTD Headers if the parameter has the “profile” scope in the parameters database.

Here is an example of a complete set of CTD headers (note that we have included line numbers, these are not part of the header):

```
1 NUMBER_HEADERS = 10
2 EXPOCODE = 318M20130321
3 SECT_ID = P02W
4 STNNBR = 1
5 CASTNO = 2
6 DATE = 20130322
7 TIME = 2205
8 LATITUDE = 32.5068
9 LONGITUDE = 133.0297
10 DEPTH = 166
```

Notice three things: the special *NUMBER_HEADERS* parameter, the parameter names are all caps, and none of the parameters have units.

The units for each parameter are defined by convention rather than explicitly stated in each file, see the *CTD required headers* for information on which headers are required.

4.2 CTD required headers

The following CTD headers are REQUIRED, see the *Parameters* section for the description of each, except for the *NUMBER_HEADERS* which is described below:

- *NUMBER_HEADERS*
- *EXPCODE*
- *STNNBR*
- *CASTNO*
- *DATE*
- *LATITUDE*
- *LONGITUDE*

Note: *TIME* is not a required parameter, this is not an omission from the list above.

Warning: There is no support for including units in the CTD headers it is not recommended that any parameters which could have multiple units be included in the CTD headers.

Usually the optional *DEPTH* parameter is the only one with units commonly found in CTD headers, it **MUST** be in meters when included in the CTD headers.

4.2.1 NUMBER_HEADERS

The *NUMBER_HEADERS* parameter is an integer describing how many lines the headers will be before the parameter and unit lines. The value of *NUMBER_HEADERS* includes itself it is REQUIRED and MUST be the first line after any *Optional Comment Lines*.

Warning: The most common mistake with Exchange CTD Headers is not including the *NUMBER_HEADERS* line in the calculation of the number of lines the headers occupy. It would be incorrect in the above example to have *NUMBER_HEADERS* = 9.

4.3 CTD Optional Headers

The following CTD headers are optional, but encountered frequently within ctd exchange files:

- *SECT_ID*
- *TIME*
- *DEPTH*

4.4 Preferred Header Order

The only header which must come first is `NUMBER_HEADERS`. Other header parameters may come in any order, however, there is a preferred order. The preferred order after `NUMBER_HEADERS` is:

```
EXPOCODE
SECT_ID
STNNBR
CASTNO
DATE
TIME
LATITUDE
LONGITUDE
DEPTH
```

4.5 User Headers

Previous versions of this document allowed any number of extra “user defined” headers to appear including undocumented ones. This was found to cause problems for implementations which only expected certain specific headers to be present. Use the comments field for this extra information.

4.6 Example CTD Data

Here is an example of a complete exchange CTD file (though a very shallow profile):

```
1 CTD,201307090DF
2 # REPORTED CAST DEPTH IS CTD_DEPTH + DISTANCE_ABOVE_BOTTOM AT MAX PRESSURE
3 NUMBER_HEADERS = 10
4 EXPOCODE = 318M20130321
5 SECT_ID = P02W
6 STNNBR = 1
7 CASTNO = 2
8 DATE = 20130322
9 TIME = 2205
10 LATITUDE = 32.5068
11 LONGITUDE = 133.0297
12 DEPTH = 166
13 CTDPRS,CTDPRS_FLAG_W,CTDTMP,CTDTMP_FLAG_W,CTDSAL,CTDSAL_FLAG_W,CTDOXY,CTDOXY_FLAG_W
14 DBAR,,ITS-90,,PSS-78,,UMOL/KG,
15 2.0,2, 19.1840,2, 34.6935,2, 220.8,2
16 4.0,2, 19.1992,2, 34.6924,2, 220.7,2
17 6.0,2, 19.2002,2, 34.6922,2, 220.5,2
18 8.0,2, 19.2022,2, 34.6919,2, 220.5,2
19 10.0,2, 19.2033,2, 34.6918,2, 220.6,2
20 12.0,2, 19.2039,2, 34.6919,2, 220.8,2
21 14.0,2, 19.2033,2, 34.6919,2, 220.9,2
22 16.0,2, 19.2029,2, 34.6916,2, 220.6,2
23 END_DATA
```

The structure is:

- Line 1: *File Format Indicator*
- Line 2: *Optional Comment Lines*
- Lines 3-12: *Additional CTD Headers*
- Lines 13, 14: *Parameter and Unit Lines*
- Lines 15-23: *Data Lines*.

4.7 Structure of ZIP CTD Archives

Since exchange CTD files only contain one profile, it is convent to package them into entire an archive containing an entire cruise. The archive format exchange uses is zip, specifically PKZIP 2.0. The zip archive allows for a large variety of structure so it is necessary to define the structure here.

Exchange CTD zip files **MUST** contain a flattened structure, that is, only files with no directory paths. The files within the zip **SHOULD** be in the same order in which the stations were done. Usually this means the filenames contain numerical information regarding the station order. All the files within the zip **MUST** have the `_ct1.csv` file extension.

Here is an example a correct ctd exchange zip archive (the output of `unzip -l`):

```
Archive: 33R020131223_ct1.zip
Length   Date    Time    Name
-----
 401802  04-10-14 17:27   33R020131223_00001_00002_ct1.csv
 388950  04-10-14 17:27   33R020131223_00002_00001_ct1.csv
 385278  04-10-14 17:27   33R020131223_00003_00002_ct1.csv
 400573  04-10-14 17:27   33R020131223_00004_00001_ct1.csv
 395069  04-10-14 17:27   33R020131223_00005_00002_ct1.csv
-----
1971672                                5 files
```

Notice the lack of directory paths in the archive names, it is simply filenames. The following is an example of an incorrectly packaged archive, which has archive names containing directory structure (notice the `/` in the names):

```
Archive: 33R020131223_ct1.zip
Length   Date    Time    Name
-----
 401802  04-10-14 17:27   33R020131223_ct1/33R020131223_00001_00002_ct1.csv
 388950  04-10-14 17:27   33R020131223_ct1/33R020131223_00002_00001_ct1.csv
 385278  04-10-14 17:27   33R020131223_ct1/33R020131223_00003_00002_ct1.csv
 400573  04-10-14 17:27   33R020131223_ct1/33R020131223_00004_00001_ct1.csv
 395069  04-10-14 17:27   33R020131223_ct1/33R020131223_00005_00002_ct1.csv
-----
1971672                                5 files
```

Note: Currently, the behavior when other files or directories are present is undefined. The recommended behavior when encountering directories or other (non `_ct1.csv`) files is to ignore the extra files while warning the user of their presence.

QUALITY CODES

Most parameters may also have an associated column of numeric quality flags. Quality flag columns appear as a normal parameter in the *Parameter and Unit Lines*, they MUST NOT have any associated units. The quality flag parameter name are constructed and require parsing to determine which parameter they need to be associated with.

The basic formula for constructing a quality flag parameter name is:

`<PARAMETER_NAME>_FLAG_W`

where <PARAMETER_NAME> is the parameter for which the quality flags are for.

For example, the quality column for the parameter *CTDOXY* would be CTDOXY_FLAG_W.

The meaning of the flags is determined by the type of measurement it is. Bottles have *Bottle Quality Codes*, measurements from CTD based instruments use the *CTD Quality Codes*, and discrete measurements from bottle use the *Water Quality Codes*. The quality codes to use for any specific parameter is also *listed with each parameter* in the parameters section.

All quality flag codes are single digit integers.

The following descriptions of each quality code is taken from the WOCE manual.

5.1 WOCE Bottle Quality Codes

- 1
Bottle information unavailable.
- 2
No problems noted.
- 3
Leaking.
- 4
Did not trip correctly.
- 5
Not reported.
- (6)
(Significant discrepancy in measured values between Gerard and Niskin bottles.)
- (7)
(Unknown problem.)

- (8) (Pair did not trip correctly. Note that the Niskin bottle can trip at an unplanned depth while the Gerard trips correctly and vice versa.)
- 9 Samples not drawn from this bottle.

5.2 WOCE Water Sample Quality Codes

- 1 Sample for this measurement was drawn from water bottle but analysis not received.
- 2 Acceptable measurement.
- 3 Questionable measurement.
- 4 Bad measurement.
- 5 Not reported.
- 6 Mean of replicate measurements (Number of replicates should be specified in the .DOC file and the replicate data tabulated there).
- 7 Manual chromatographic peak measurement.
- 8 Irregular digital chromatographic peak integration.
- 9 Sample not drawn for this measurement from this bottle.

Note: Note that if water is drawn for any measurement from a water bottle, the quality code for that parameter should be set equal to 1 initially to help ensure that all water samples are accounted for.

5.3 WOCE CTD Quality Codes

- 1 Not calibrated.
- 2 Acceptable measurement.
- 3 Questionable measurement.
- 4 Bad measurement.

- 5** Not reported.
- 6** Interpolated over a pressure interval larger than 2 dbar.
- 7** Despiked.
- (8)** Not used for CTD data.
- 9** Not sampled.

PARAMETERS

6.1 About Parameters

The CCHDO works frequently with many parameters common in hydrography. Provided here is a description of many common parameters encountered in exchange files.

Warning: This list may not contain every parameter which may be encountered in an exchange file. CCHDO is working on providing a machine readable list of ALL parameters which may be encountered in all files. This list will include parameters which CCHDO lacks a description for (known unknown parameters).

Until that time, parameters may appear in exchange formats from the CCHDO which are not documented here. No undocumented parameter or field will cause data integrity or usefulness issues (i.e. all undocumented parameters may be safely ignored).

6.1.1 Definitions

Provided with each parameter is a set of information in a table, the information included in that table should be interpreted as follows:

Units

These are the common units encountered for this parameter as it will appear in the exchange document itself. The special units of “None” means the field will be either blank or contain only whitespace.

Data Type

Specifies the allowed type of data in the data records for this parameter. There are three types of data, string (str), integers (int), and decimal. String data types may be any printing character except a comma , which is the field separator. Integer data types may only contain numbers without a decimal point, quality flags are usually integers. Decimal data types may be any real number (including an integer) and may include decimal point, the precision is not specified.

Quality Flags

Specifies which set of quality flag definitions should be used to interpret a quality flag column for this parameter (if present). Current quality flags are: *bottle*, *water*, *ctd*. See the [Quality Codes](#) section for more information

Error Column Label

A parameter might contain an error or uncertainty value associated with it. The column which contains the error/uncertainty values for this parameter will have the name listed in this field.

CF/netCDF Attributes

When this parameter appears in a CF netCDF file, the units and standard name are determined by the units of the WHP parameter. Not all parameter/unit pairs have CF standard names yet. Some

WHP units are not allowed in the units attribute of valid CF netCDF files, of particular note are the temperature units of ITS-90 and IPTS-68 which are both mapped to degC in CF files. These “units” will instead appear in a `reference_scale` attribute of the variable rather than in the `units` attribute.

6.2 Unlisted Parameters

Otherwise valid exchange files which contain parameters, units, or parameter/unit pairs that are not listed in the *Parameters* list SHALL NOT cause the file to be invalid so long as the rest of the specification is adhered to.

6.2.1 Pass Through

Authors of software which read and write exchange files SHOULD pass through unlisted parameters, units, parameter/unit pairs, and the associated data columns.

Note: This section is intended for software which is used in data management, it does not impose a requirement on authors only wishing to do analysis.

6.3 Parameters

This section was generated automatically from a machine readable list of parameters, there is also a validation schema for the parameters json.

- | | | |
|-----------------------|-------------------------|-------------------|
| • <i>EXPCODE</i> | • <i>DNSSAL2</i> | • <i>ALKALI</i> |
| • <i>SECT_ID</i> | • <i>SALNTY_DNSSAL</i> | • <i>FCO2</i> |
| • <i>LINE</i> | • <i>SALNTY_DNSSAL2</i> | • <i>FCO2IN</i> |
| • <i>STNNBR</i> | • <i>CTDSVLSAL</i> | • <i>FCO2TMP</i> |
| • <i>CASTNO</i> | • <i>CTDOXY</i> | • <i>PCO2</i> |
| • <i>BIOS_CASTID</i> | • <i>CTDOPTOXY</i> | • <i>XCO2</i> |
| • <i>SAMPNO</i> | • <i>OXYGEN</i> | • <i>PCO2TMP</i> |
| • <i>GEOTR_EVENT</i> | • <i>SILCAT</i> | • <i>PH_TOT</i> |
| • <i>GEOTR_SAMPNO</i> | • <i>NH4</i> | • <i>PH</i> |
| • <i>BIONBR</i> | • <i>NITRAT</i> | • <i>PH_NBS</i> |
| • <i>EVENT_NUMBER</i> | • <i>CTDNITRATE</i> | • <i>PH_SWS</i> |
| • <i>BTLNBR</i> | • <i>CTDORP</i> | • <i>PH_TMP</i> |
| • <i>DATE</i> | • <i>NITRIT</i> | • <i>DOC</i> |
| • <i>TIME</i> | • <i>PHSPHT</i> | • <i>FDOM</i> |
| • <i>LATITUDE</i> | • <i>NO2+NO3</i> | • <i>DOC_NASA</i> |
| • <i>LONGITUDE</i> | • <i>CFC-11</i> | • <i>TRITUM</i> |
| • <i>DEPTH</i> | • <i>CFC-12</i> | • <i>HELIUM</i> |
| • <i>CTDPRS</i> | • <i>CFC113</i> | • <i>DELHE3</i> |
| • <i>CTDRAW</i> | • <i>HCFC-141b</i> | • <i>REFTMP</i> |
| • <i>CTDTMP</i> | • <i>HCFC-142b</i> | • <i>REVPRS</i> |
| • <i>CTDSAL</i> | • <i>HCFC-22</i> | • <i>REVTMP</i> |
| • <i>CTDSA</i> | • <i>HFC-134A</i> | • <i>DELC13</i> |
| • <i>CTDCT</i> | • <i>HFC-125</i> | • <i>DELC14</i> |
| • <i>SALNTY</i> | • <i>SF6</i> | • <i>DON</i> |
| • <i>DNSSAL</i> | • <i>TCARBON</i> | • <i>TOC</i> |
| • <i>RIANOMALY</i> | • <i>CARBONATE</i> | • <i>POC</i> |

- *D13C_POC*
- *PON*
- *POP*
- *PCOD*
- *DOP*
- *TDP*
- *DATP*
- *PATP*
- *TDN*
- *TON*
- *NEON*
- *DELO18*
- *DELO17*
- *DELD*
- *DELSI30*
- *DELN15*
- *CCL4*
- *NI*
- *ALUMIN*
- *BARIUM*
- *CU*
- *FE*
- *MN*
- *CTDFLUOR*
- *PAR*
- *CDOM300*
- *CDOM325*
- *CDOM340*
- *CDOM370*
- *CDOM380*
- *CDOM412*
- *CDOM443*
- *CDOM490*
- *CDOM555*
- *SPAR*
- *CDOM2C*
- *CDOM3C*
- *CDOMSL*
- *CDOMSN*
- *I-129*
- *PLUTO*
- *RA-226*
- *RA-228*
- *CTDXMISS*
- *CTDBEAMCP*
- *CTDBETA700*
- *BEAMAP*
- *CTDBBP700*
- *CTDBETA650_124*
- *CTDTURB*
- *CTDCDOM*
- *AR-39*
- *CS-137*
- *CS-134*
- *KR-85*
- *SR-90*
- *N2O*
- *RA-8/6*
- *QUALT1*
- *QUALT2*
- *MCHFRM*
- *IODATE*
- *IODIDE*
- *CHLORA*
- *PPHYTN*
- *CH3CL*
- *CH4*
- *DMS*
- *N2*
- *CALCIUM*
- *ARGON*
- *14C-DOC*
- *13C-DOC*
- *D15N_NO3*
- *D15N_NO2*
- *D15N_NH4*
- *D15N_N2O*
- *D15N_ALPHA_N2O*
- *D15N_NO2+NO3*
- *D15N_PON*
- *D15N_TDN*
- *D18O_NO2+NO3*
- *D18O_NO3*
- *D18O_NO2*
- *D18O_N2O*
- *UREA*
- *TOT_CHL_A*
- *TOT_CHL_B*
- *TOT_CHL_C*
- *ALPHA-BETA-CAR*
- *BUT-FUCO*
- *HEX-FUCO*
- *ALLO*
- *ANTH*
- *DIADINO*
- *DIATO*
- *HFUCO*
- *PERID*
- *ZEa*
- *MV_CHL_A*
- *DV_CHL_A*
- *CHLIDE_A*
- *MV_CHL_B*
- *DV_CHL_B*
- *CHL_C1C2*
- *CHL_C2*
- *CHL_C3*
- *LUT*
- *NEO*
- *VIOLA*
- *PHYTIN_A*
- *PHIDE_A*
- *PRAS*
- *GYRO*
- *BTL_DATE*
- *BTL_TIME*
- *CTDDEPTH*
- *ODF_CTDPRS*
- *BTL_LAT*
- *BTL_LON*
- *CTDNOBS*
- *CTDETIME*
- *INSTRUMENT_ID*
- *SAMPLING_RATE*
- *THETA*
- *AOU*
- *ARABI*
- *BACT*
- *CELLCOUNT*
- *SYN*
- *PEUK*
- *PROC*
- *BLACKC*
- *BRDU*
- *CH3BR*
- *CH3I*
- *DCNS*
- *FUCO*
- *GALA*
- *GLUC*
- *MAN*
- *RHAM*
- *LAB_DEN*
- *KRYPTON*
- *XENON*
- *PIGMENTS*
- *SALTREF*
- *SF5CF3*
- *DWNPRS*
- *DWNOXY*
- *SIG0*
- *SOMSAL*
- *HPLC*
- *DNA*
- *UPTAKE*
- *FCM*
- *ABUNDANCE*
- *SIP*
- *QUOTA*
- *IMAGES*
- *VIRAL_ABUNDANCE*
- *CDOM_NASA*

- *CDOM_UCSB*
 - *MICROGELS*
 - *N2/ARGON*
 - *N2/ARGON_UNSTRIPPED*
 - *D15N_N2*
 - *O2/AR*
 - *SMDEPTH*
 - *FMDEPTH*
 - *CYANB*
 - *PHYTOP*
 - *HE3_HE4_RATIO*
 -
- Nd_143_144_D_EPSILON_BOTTLE*
 -
 - Nd_143_144_D_RATIO_BOTTLE*
 - *Nd_D_CONC*
 - *La_D_CONC_BOTTLE*
 - *Ce_D_CONC_BOTTLE*
 - *Pr_D_CONC_BOTTLE*
 - *Sm_D_CONC_BOTTLE*
 - *Eu_D_CONC_BOTTLE*
 - *Gd_D_CONC_BOTTLE*
 - *Tb_D_CONC_BOTTLE*
 - *Dy_D_CONC_BOTTLE*
- *Ho_D_CONC_BOTTLE*
 - *Er_D_CONC_BOTTLE*
 - *Tm_D_CONC_BOTTLE*
 - *Yb_D_CONC_BOTTLE*
 - *Lu_D_CONC_BOTTLE*
 - *STNNBR_U*
 - *SAMPNO_U*
 - *BTLNBR_U*
 - *LDEO_SAMPNO*
 - *BNLID*

6.3.1 EXPOCODE

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
expocode	None	None	None

The expedition code, assigned by the CCHDO or generated by the user. Used as the unique identifier for the cruise. Usual generation formula is ICES 4 character platform code then the cruise departure date in YYYYMMDD format. The underscore _ character may also be present.

6.3.2 SECT_ID

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
section_id	None	None	None

If a repeat of a WOCE section, this is the WHP section identifier. Examples include: A12, A13.5, P02.

Note: There may be inconsistency in the how line numbers are represented. For example, P02 might be present as P2, these represent the same SECT_ID. Two digit zero padded line numbers are the canonical representation, please inform the CCHDO if non zero padded line numbers are encountered.

6.3.3 LINE

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
line_id	None	None	None

A transect line identifier, examples include CalCOFI Lines or an id assigned to the lines of a cruise doing grid type work

Warning: Use the SECT_ID parameter for WOCE/GO-SHIP section ids

6.3.4 STNNBR

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
station	None	None	None

The originator's station identifier. Allowed characters are U+0030 to U+0039, U+0041 to U+005A, U+0061 to U+007A, and U+005F (0-9, a-z, A-Z, and _)

Note: Numeric-only station identifiers are preferred by many data users, but provision for non numeric station identifiers is retained to maintain compatibility with WOCE records.

6.3.5 CASTNO

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cast	None	None	None

The originator's cast number.

Note: Where cast number is unknown a default value of 1 MAY be inserted by data processors.

6.3.6 BIOS_CASTID**Units**

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bios_castid	None	None	None

BIOS cast number. Used by the Bermuda Institute of Ocean Sciences in the BATS and Hydrostation S timeseries.

6.3.7 SAMPNO**Units**

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
sample	None	None	None

The sample number. Often it is the rosette position, however, groups may use their own sampling identification scheme. Allowed characters are U+0030 to U+0039, U+0041 to U+005A, U+0061 to U+007A, and U+005F (0-9, a-z, A-Z, and _)

Warning: The value may not be numeric, ensure that any software reading the file can handle UTF-8 data of the specified allowed code points.

6.3.8 GEOTR_EVENT

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
geotraces_event	None	None	None

The GEOTRACES Event number. Along with the GEOTRACES sample number, it is used by the GEOTRACES community for sample identification.

6.3.9 GEOTR_SAMPNO

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
geotraces_sample	None	None	None

The GEOTRACES Sample number. Along with the GEOTRACES Event number, it is used by the GEOTRACES community for sample identification.

6.3.10 BIONBR

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bionbr	None	None	None

Sample identification number used by the Bedford Institute of Oceanography (BIO)

6.3.11 EVENT_NUMBER

Units

- None

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
event_number	None	None	None

Non program specific event number. Some cruises or programs keep track of sequential events that occur on a cruise or across multiple cruises of the same program. There exists program specific event number names of GEOTR_EVENT, BIONBR, and BIOS_CASTID that should be used if they are more appropriate.

6.3.12 BTLNBR

Units

- None

Data Type

string

BTLNBR_FLAG_W Definitions

WOCE Bottle Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_number	None	None	None

The bottle identification number. This is intended to be a permanent, unique serial number fixed to the sampling device. It may also be the an identifier fixed for the duration of a single expedition. Allowed characters are U+0030 to U+0039, U+0041 to U+005A, U+0061 to U+007A, and U+005F (0-9, a-z, A-Z, and _)

Note: The bottle number MAY have quality flags.

Warning: Despite the name, the value IS NOT numeric, ensure that any software reading the file can handle UTF-8 data of the specified allowed code points. The CF/netCDF files force the data type to be char, but for historic reasons, the variable name is maintained as bottle_number.

6.3.13 DATE

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
date	None	None	None

The UTC date in zero padded YYYYMMDD format. The date reported is usually cast bottom for Bottle files and cast start for CTD files. Valid range for YYYY: 0001-9999. Valid range for MM: 01-12. Valid range for DD: 01-31 (depends on month and year). The format of dates corresponds to the C-strftime format of %Y%m%d.

The date should be read as a string, but be able to be cast unambiguously to an integer. To convert from integer representation, left pad zeros to match the date format description. For example, the integer 8020202 is the date 08020202 or Feb 2nd, 802. This is a very unlikely situation.

6.3.14 TIME

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
time	None	None	None

The UTC time in zero padded hhmm format. A single time should be reported for each cast, usually the time at cast bottom (deepest) is used. The order of preference for the reported time is: cast bottom, cast start, cast end (i.e if cast bottom is not available, the cast start time should be used).

Valid range for hh: 00-24 Valid range for mm: 00-59 The format of times corresponds to the C-strftime format of %H%M.

The time should be read as a string, but be able to be cast unambiguously into an integer. To convert from an integer, left pad zeros to match the time format description.

Note: Times represented as integers will be present in whp COARDS netcdf files. Times in netcdf files will be anywhere from 1 to 4 digits. E.g. a time of 6 as in integer represents 6 minutes after midnight or 0006

Midnight is a special case in that it has two valid representations: 0000 and 2400. The date 20140202 at time 0000 is the same instant as the date 20140201 at time 2400. This corresponds to times allowed by ISO 8601.

Use *BTL_TIME* to report the time of individual bottle closures.

CF netCDF files will use the standard Time Coordinate as specified in the conventions

Warning: Time is not a required parameter! If time is not present, then the temporal resolution of the data is reduced to a 24 hour period. It is the responsibility of the user of the data to omit files/casts which do not meet their temporal resolution requirements.

6.3.15 LATITUDE

Units

- None

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
latitude	None	None	latitude

The latitude as a signed decimal number. By convention, is positive in the northern hemisphere and negative in the southern hemisphere. Positive values do not include a + character (U+002B), negative values are prefixed with a - character (U+002D).

Note: Only one latitude SHOULD be reported for a cast, typically this is the ship position when the cast is at the bottom (deepest), but this is not guaranteed.

Use [BTL_LAT](#) to include positions of individual bottle closures.

Warning: Since this parameter has no units, the positive in the northern hemisphere and negative in the southern hemisphere MUST be strictly adhered to.

The geographic coordinate system is not currently reported.

6.3.16 LONGITUDE

Units

- None

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
longitude	None	None	longitude

The longitude as a signed decimal number. By convention, is positive in the eastern hemisphere and negative in the western hemisphere. Positive values do not include a + character (U+002B), negative values are prefixed with a - character (U+002D).

Note: Only one longitude SHOULD be reported for a cast, typically this is the ship position when the cast is at the bottom (deepest), but this is not guaranteed.

Use *BTL_LON* to include positions of individual bottle closures.

The longitudes of -180 and 180 describe the same meridian.

Warning: Since this parameter has no units, the positive in the eastern hemisphere and negative in the western hemisphere convention MUST be strictly adhered to.

The geographic coordinate system is not currently reported.

6.3.17 DEPTH

Units

- METERS

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
btm_depth	METERS	meters	sea_floor_depth_below_sea_surface

The reported depth to the bottom. Corrected depths are preferred to uncorrected depths.

Note: Documentation should be provided describing how the depth was calculated/corrected, typically in the comment fields.

Warning: This is NOT the depth of bottle closures.

6.3.18 CTDPRS

Units

- DBAR

Data Type

decimal

CTDPRS_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
pressure	DBAR	dbar	sea_water_pressure

The corrected pressure as measured by the CTD.

Note: Typically does not have quality flags.

6.3.19 CTDRAW

Units

- DBAR

Data Type

decimal

CTDRAW_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_pressure_raw	DBAR	dbar	sea_water_pressure

The uncorrected pressure as measured by the CTD. Uncorrected means that no processing has been done (e.g. deck pressure offsets) other than manufacturer calibrations applied.

Note: Typically does not have quality flags.

6.3.20 CTDTMP

Units

- ITS-90
- IPTS-68
- DEG C

Data Type

decimal

CTDTMP_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_temperature	ITS-90	degC	sea_water_temperature
ctd_temperature_68	IPTS-68	degC	sea_water_temperature
ctd_temperature_unk	DEG C	degC	sea_water_temperature

The corrected temperature as measured by the CTD.

Note: Typically does not have quality flags.

6.3.21 CTDSAL

Units

- PSS-78

Data Type

decimal

CTDSAL_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_salinity	PSS-78	1	sea_water_practical_salinity

The corrected practical salinity as measured (calculated) by the CTD.

6.3.22 CTDSA

Units

- G/KG

Data Type

decimal

CTDSA_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_absolute_salinity	G/KG	g/kg	sea_water_absolute_salinity

Absolute salinity calculated using TEOS-10

Warning: This is provided as a convenience, the TEOS-10 manual strongly recommends against including this in observational data.

6.3.23 CTDCT

Units

- ITS-90

Data Type

decimal

CTDCT_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_conservative_temperatu	ITS-90	degC	sea_water_conservative_temperature

Conservative temperature calculated using TEOS-10

Warning: This is provided as a convenience, the TEOS-10 manual strongly recommends against including this in observational data.

6.3.24 SALNTY

Units

- PSS-78

Data Type

decimal

SALNTY_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_salinity	PSS-78	1	sea_water_practical_salinity

The practical salinity measured from a bottle sample.

6.3.25 DNSSAL

Units

- G/KG

Data Type

decimal

DNSSAL_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
density_salinity	G/KG	g/kg	sea_water_absolute_salinity

Absolute salinity calculated from direct density measurements, also called absolute salinity.

6.3.26 RIANOMALY**Units**

- ND

Data Type

decimal

RIANOMALY_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
refractive_index_anomaly	ND	1	None

Refractive index anomaly from pure water. Typically reported at the sodium D lines of 589.6 nm and 589.0nm

6.3.27 DNSSAL2**Units**

- G/KG

Data Type

decimal

DNSSAL2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
density_salinity2	G/KG	g/kg	sea_water_absolute_salinity

Replicate measurement of DNSSAL, used in TEOS-10 verification work

6.3.28 SALNTY_DNSSAL

Units

- PSS-78

Data Type

decimal

SALNTY_DNSSAL_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
density_salinity_practical_salin	PSS-78	1	sea_water_practical_salinity

A practical salinity measurement in the lab of the same water sample as DNSSAL, used in TEOS-10 verification work

6.3.29 SALNTY_DNSSAL2

Units

- PSS-78

Data Type

decimal

SALNTY_DNSSAL2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
density_salinity_practical_salin	PSS-78	1	sea_water_practical_salinity

Replicate of SALNTY_DNSSAL

6.3.30 CTDSVLSAL

Units

- G/KG

Data Type

decimal

CTDSVLSAL_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_sound_velocity_salinity	G/KG	g/kg	sea_water_absolute_salinity

Absolute salinity calculated from sound velocity and temperature, also called absolute salinity.

6.3.31 CTDOXY

Units

- UMOL/KG
- ML/L
- UMOL/L

Data Type

decimal

CTDOXY_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_oxygen	UMOL/ KG	umol/ kg	moles_of_oxygen_per_unit_mass_in_sea_water
ctd_oxygen_ml	ML/L	ml/l	volume_fraction_of_oxygen_in_sea_water
ctd_oxygen_um	UMOL/ L	umol l-1	mole_concentration_of_dissolved_molecular_oxygen_in_sea_water

The corrected oxygen measured by the CTD.

6.3.32 CTDOPTOXY

Units

- VOLTS
- UMOL/KG

Data Type

decimal

CTDOPTOXY_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_optode_oxygen_raw	VOLTS	volts	None
ctd_optode_oxygen	UMOL/KG	umol/kg	None

In situ oxygen from an oxygen optode

Note: This parameter was common when optodes were newer. Today this is often just reported as CTDOXY.

6.3.33 OXYGEN

Units

- UMOL/KG
- ML/L

Data Type

decimal

OXYGEN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
oxygen	UMOL/KG	umol/ kg	moles_of_oxygen_per_unit_mass_in_sea_water
oxygen_ml_l	ML/L	ml/l	volume_fraction_of_oxygen_in_sea_water

The dissolved oxygen measured in a discrete sample, typically using the Winkler test for dissolved oxygen.

6.3.34 SILCAT

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

SILCAT_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

SILUNC

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
silicate	UMOL/KG	umol/kg	moles_of_silicate_per_unit_mass_in_sea_water
silicate_l	UMOL/L	umol l-1	mole_concentration_of_silicate_in_sea_water

The concentration of dissolved silicate in sea water.

6.3.35 NH4

Units

- UMOL/KG

Data Type

decimal

NH4_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

NH4UNC

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ammonium	UMOL/KG	umol/kg	None

The concentration of dissolved ammonium in sea water.

6.3.36 NITRAT

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

NITRAT_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

NRAUNC

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nitrate	UMOL/KG	umol/kg	moles_of_nitrate_per_unit_mass_in_sea_water
nitrate_l	UMOL/L	umol l-1	mole_concentration_of_nitrate_in_sea_water

The concentration of dissolved nitrate in sea water. The chemical formula for the nitrate anion is NO₃⁻.

6.3.37 CTDNITRATE

Units

- UMOL/KG

Data Type

decimal

CTDNITRATE_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_nitrate	UMOL/KG	umol/kg	moles_of_nitrate_per_unit_mass_in_sea_water

The concentration of dissolved nitrate in sea water measured by an in situ sensor. The chemical formula for the nitrate anion is NO₃⁻.

6.3.38 CTDORP

Units

- MILLIVOLTS

Data Type

decimal

CTDORP_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_redox_potential	MILLIVOLTS	millivolts	None

Oxidation-reduction (or redox) potential sensor. Measures the tendency of various chemical species to gain or lose electrons. In the ocean, it is useful for detecting hydrothermal plumes. Usually the absolute value of ORP measured by one of these is not useful but the change in potential over the profile is.

Warning: The actual scientific units for this parameter is a voltage, usually reported in millivolts.

6.3.39 NITRIT

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

NITRIT_FLAG_W Definitions
WOCE Water Sample Quality Codes
Error Column Label

NRIUNC

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nitrite	UMOL/KG	umol/kg	moles_of_nitrite_per_unit_mass_in_sea_water
nitrite_l	UMOL/L	umol l-1	mole_concentration_of_nitrite_in_sea_water

The concentration of dissolved nitrite in sea water. The chemical formula for the nitrite anion is NO₂⁻.

6.3.40 PHSPHT

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

PHSPHT_FLAG_W Definitions
WOCE Water Sample Quality Codes
Error Column Label

PHPUNC

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
phosphate	UMOL/KG	umol/kg	moles_of_phosphate_per_unit_mass_in_sea_water
phosphate_l	UMOL/L	umol l-1	mole_concentration_of_phosphate_in_sea_water

The concentration of dissolved phosphate in sea water. The chemical formula for the phosphate anion is PO₄⁻.

6.3.41 NO₂+NO₃

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

NO₂+NO₃_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nitrite_nitrat	UMOL/ KG	umol/ kg	moles_of_nitrate_and_nitrite_per_unit_mass_in_sea_water
nitrite_nitrat	UMOL/L	umol l-1	mole_concentration_of_nitrate_and_nitrite_in_sea_water

The concentration of dissolved nitrate plus nitrite in sea water. The chemical formula for the nitrite anion is NO₂⁻.

Note: Most modern techniques for determining dissolved nitrate return a value of nitrate (NO₃) plus nitrite (NO₂). A separate determination is then done for nitrite and the result subtracted by the data originator to obtain nitrate. If no separate nitrite determination was carried out - or in rare cases the nitrite number was not subtracted - data providers should list the result as NO₂+NO₃. Because nitrite values are in most regions small compared to nitrate, most data users will not adversely affect their results by relabeling NO₂+NO₃ as NITRAT.

6.3.42 CFC-11

Units

- PMOL/KG
- PMOL/L

Data Type

decimal

CFC-11_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

CF11ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cfc_11	PMOL/KG	pmol/ kg	moles_of_cfc11_per_unit_mass_in_sea_water
cfc_11_l	PMOL/L	pmol/l	None

The concentration of dissolved CFC11 in sea water. The chemical formula of CFC11 is CFCI3. The IUPAC name for CFC11 is trichloro(fluoro)methane.

6.3.43 CFC-12

Units

- PMOL/KG
- PMOL/L

Data Type

decimal

CFC-12_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

CF12ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cfc_12	PMOL/KG	pmol/kg	None
cfc_12_1	PMOL/L	pmol/l	None

The concentration of dissolved CFC12 in sea water. The chemical formula for CFC12 is CF2Cl2. The IUPAC name for CFC12 is dichloro(difluoro)methane.

6.3.44 CFC113

Units

- PMOL/KG
- PMOL/L

Data Type

decimal

CFC113_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

CF113ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cfc_113	PMOL/KG	pmol/kg	None
cfc_113_1	PMOL/L	pmol/l	None

The concentration of dissolved CFC113 in sea water. The chemical formula of CFC113 is CCl2FCClF2. The IUPAC name for CFC113 is 1,1,2-trichloro-1,2,2-trifluoroethane.

6.3.45 HCFC-141b

Units

- PMOL/KG

Data Type

decimal

HCFC-141b_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dichlorofluoroethane	PMOL/KG	pmol/kg	None

The concentration of dissolved HCFC-141b in sea water. The chemical formula of HCFC-141b is C₂H₃Cl₂F. The IUPAC name for HCFC-141b is 1,1-Dichloro-1-fluoroethane.

6.3.46 HCFC-142b

Units

- PMOL/KG

Data Type

decimal

HCFC-142b_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
chlorodifluoroethane	PMOL/KG	pmol/kg	None

The concentration of dissolved HCFC-142b in sea water. The chemical formula of HCFC-142b is CH₃CClF₂. The IUPAC name for HCFC-142b is 1-Chloro-1,1-difluoroethane.

6.3.47 HCFC-22

Units

- PMOL/KG

Data Type

decimal

HCFC-22_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
chlorodifluoromethane	PMOL/KG	pmol/kg	None

The concentration of dissolved HCFC-22 in sea water. The chemical formula of HCFC-22 is CHClF2. The IUPAC name for HCFC-22 is Chloro(difluoro)methane.

6.3.48 HFC-134A**Units**

- PMOL/KG

Data Type

decimal

HFC-134A_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hfc_134a	PMOL/KG	pmol/kg	None

The concentration of dissolved HFC-134A in sea water. The chemical formula of HFC-134A is CF3CH2F. The IUPAC name for HFC-134A is 1,1,1,2-Tetrafluoroethane.

6.3.49 HFC-125**Units**

- PMOL/KG

Data Type

decimal

HFC-125_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
pentafluoroethane	PMOL/KG	pmol/kg	None

The concentration of dissolved HFC-125 in sea water. The chemical formula of HFC-125 is CF3CHF2. The IUPAC name for HFC-125 is pentafluoroethane.

6.3.50 SF6

Units

- FMOL/KG
- FMOL/L

Data Type

decimal

SF6_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
sulfur_hexifluoride	FMOL/KG	fmol/kg	None
sulfur_hexifluoride_l	FMOL/L	fmol/l	None

The concentration of SF6 (Sulfur hexafluoride) in sea water.

6.3.51 TCARBN

Units

- UMOL/KG

Data Type

decimal

TCARBN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_carb	UMOL/KG	umol/kg	moles_of_dissolved_inorganic_carbon_per_unit_mass_in_sea_water

Total dissolved inorganic carbon

6.3.52 CARBONATE

Units

- UMOL/KG

Data Type

decimal

CARBONATE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
carbonate	UMOL/KG	umol/kg	None

Dissolved carbonate ion in seawater, the chemical formula for the carbonate ion is CO_3^{2-}

6.3.53 ALKALI**Units**

- UMOL/KG

Data Type

decimal

ALKALI_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_alkalinity	UMOL/KG	umol/kg	None

The total alkalinity equivalent concentration (including carbonate, nitrogen, silicate, and borate components).

6.3.54 FCO2**Units**

- UATM

Data Type

decimal

FCO2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fco2	UATM	uatm	fugacity_of_carbon_dioxide_in_sea_water

The fugacity is the measured pressure (or partial pressure) of a real gas corrected for the intermolecular forces of that gas, which allows that corrected quantity to be treated like the pressure of an ideal gas in the ideal gas equation $PV = nRT$. The partial pressure of a dissolved gas in sea water is the partial pressure in air with which it would be in equilibrium. The partial pressure of a gaseous constituent of air is the pressure that it would exert if all other gaseous constituents were removed, assuming the volume, the temperature, and its number of moles remain unchanged. The chemical formula for carbon dioxide is CO_2 .

6.3.55 FCO2IN

Units

- UATM

Data Type

decimal

FCO2IN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fco2_in_situ	UATM	uatm	fugacity_of_carbon_dioxide_in_sea_water

In situ fugacity of CO₂ gas

Note: Usually calculated

6.3.56 FCO2TMP

Units

- DEG C

Data Type

decimal

FCO2TMP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fco2_temperature	DEG C	degC	temperature_of_analysis_of_sea_water

The reporting temperature for FCO₂, either a measurement of the equilibrator temperature or adjusted to a standard temperature

6.3.57 PCO2

Units

- UATM

Data Type

decimal

PCO2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
partial_pressure_of_	UATM	uatm	partial_pressure_of_carbon_dioxide_in_sea_water

The partial pressure of a dissolved gas in sea water is the partial pressure in air with which it would be in equilibrium. The partial pressure of a gaseous constituent of air is the pressure that it would exert if all other gaseous constituents were removed, assuming the volume, the temperature, and its number of moles remain unchanged. The chemical formula for carbon dioxide is CO₂.

6.3.58 XCO2**Units**

- PPM

Data Type

decimal

XCO2_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
co2_mole_fraction	PPM	1e-6	None

The mole fraction of CO₂ in air, wet or dry is unknown.

Warning: This parameter was added because we found several cruises with “PCO₂” reported as ppm. The only notes that could we could find where questioning if the values were “wet” or “dry”, which is wondering if pH₂O was taken into account. XCO₂ as a name was taken from the definition of CO₂ expressed as PPM in CO₂SYN V25. Use caution if you are trying to compare this parameter to other (p/f/x)CO₂ data

6.3.59 PCO2TMP**Units**

- DEG C

Data Type

decimal

PCO2TMP_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
partial_co2_temperature	DEG C	degC	temperature_of_analysis_of_sea_water

The reporting temperature for PCO₂, either a measurement of the equilibrator temperature or adjusted to a standard temperature

6.3.60 PH_TOT

Units

- None

Data Type

decimal

PH_TOT_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ph_total_h_scale	None	None	sea_water_ph_reported_on_total_scale

The measure of acidity of seawater, defined as the negative logarithm of the concentration of dissolved hydrogen ions plus bisulfate ions in a sea water medium; when measured the scale is defined according to a series of buffers prepared in artificial seawater containing bisulfate. The quantity may be written as $\text{pH}(\text{total}) = -\log([\text{H}^+](\text{free}) + [\text{HSO}_4^-])$.

6.3.61 PH

Units

- None

Data Type

decimal

PH_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ph_unknown_scale	None	None	None

The measure of acidity of seawater reported on an unknown scale

Warning: The reporting scale is not known. Use caution when comparing this pH to any other pH

6.3.62 PH_NBS

Units

- None

Data Type

decimal

PH_NBS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ph_nbs	None	None	None

The measure of acidity of seawater on the NBS standard pH scale

6.3.63 PH_SWS

Units

- None

Data Type

decimal

PH_SWS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ph_sws	None	None	None

pH reported on the sea water scale

6.3.64 PH_TMP

Units

- DEG C

Data Type

decimal

PH_TMP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ph_temperature	DEG C	degC	temperature_of_analysis_of_sea_water

Temperature of the pH measurement

6.3.65 DOC

Units

- UMOL/KG

Data Type

decimal

DOC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_organic_carbon	UMOL/KG	umol/kg	None

Dissolved organic carbon

6.3.66 FDOM

Units

- RFU

Data Type

decimal

FDOM_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fdom	RFU	1	None

In lab measured Fluorescent dissolved organic matter

6.3.67 DOC_NASA

Units

- UMOL/L

Data Type

decimal

DOC_NASA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_organic_carbon_nasa	UMOL/L	umol l-1	None

Dissolved organic carbon as measured by the NASA group and not the normal GO-SHIP one

6.3.68 TRITUM**Units**

- TU
- KBQ/M^3

Data Type

decimal

TRITUM_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

TRITER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
tritium	TU	1e-18	None
tritium_activity	KBQ/M^3	kBq m-3	None

Fraction of tritium in the water itself

Note: 1 TU is 1 tritium atom per 10¹⁸ hydrogen atoms

6.3.69 HELIUM**Units**

- NMOL/KG
- NMOL/L

Data Type

decimal

HELIUM_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

HELIER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
helium	NMOL/KG	nmol/kg	None
helium_l	NMOL/L	nmol/l	None

Dissolved elemental helium gas

6.3.70 DELHE3**Units**

- PERCNT

Data Type

decimal

DELHE3_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

DELHER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
delta_helium_3	PERCNT	percent	None

Enrichment of ³He in dissolved helium gas

6.3.71 REFTMP**Units**

- ITS-90
- DEG C

Data Type

decimal

REFTMP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ref_temperature	ITS-90	degC	sea_water_temperature
ref_temperature_c	DEG C	degC	sea_water_temperature

Sea water temperature as measured by a reference thermometer, such as an SBE35. These typically only measure when a bottle is triggered and are part of the discrete data stream rather than the CTD one.

6.3.72 REVPRS

Units

- DBAR

Data Type

decimal

REVPRS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
rev_pressure	DBAR	dbar	sea_water_pressure

Sea water pressure as determined via a pair of reversing thermometers.

6.3.73 REVTMP

Units

- ITS-90
- IPTS-68
- DEG C

Data Type

decimal

REVTMP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
rev_temperature_90	ITS-90	degC	sea_water_temperature
rev_temperature	IPTS-68	degC	sea_water_temperature
rev_temperature_c	DEG C	degC	sea_water_temperature

Sea water temperature as determined via a reversing thermometer.

6.3.74 DELC13

Units

- /MILLE

Data Type

decimal

DELC13_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

C13ERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
del_carbon_13_dic	/MILLE	1e-3	None

Enrichment of ^{13}C vs ^{12}C in dissolved inorganic carbon (DIC or TCARBN) compared to a reference standard usually VPDB. This is usually written as lower case delta ^{13}C .

6.3.75 DELC14**Units**

- /MILLE

Data Type

decimal

DELC14_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

C14ERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
del_carbon_14_dic	/MILLE	1e-3	None

Enrichment of ^{14}C vs ^{12}C in dissolved inorganic carbon (DIC or TCARBN) compared to a reference standard usually VPDB. This ratio has been corrected for isotopic fractionation and is usually written as upper case delta ^{14}C .

6.3.76 DON**Units**

- UMOL/KG

Data Type

decimal

DON_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
dissolved_organic_nitrogen	UMOL/KG	umol/kg	None

Dissolved organic nitrogen in sea water. 'Dissolved organic nitrogen' describes the nitrogen held in carbon compounds in solution. These are mostly generated by plankton excretion and decay.

6.3.77 TOC

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

TOC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_organic_carbon	UMOL/KG	umol/kg	None
total_organic_carbon_l	UMOL/L	umol l-1	None

Total organic carbon, includes particulate and dissolved

6.3.78 POC

Units

- UG/KG
- UG/L

Data Type

decimal

POC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
particulate_organic_carbon	UG/KG	ug/kg	None
particulate_organic_carbon_l	UG/L	ug/l	None

Particulate organic carbon

6.3.79 D13C_POC

Units

- /MILLE

Data Type

decimal

D13C_POC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d13c_poc	/MILLE	1e-3	None

Enrichment of ^{13}C vs ^{12}C in particulate organic carbon (POC) compared to a reference standard usually VPDB. This is usually written as lower case delta ^{13}C .

6.3.80 PON**Units**

- UG/KG
- UG/L
- UMOL/L

Data Type

decimal

PON_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
particulate_organic_nitrogen	UG/KG	ug/kg	None
particulate_organic_nitrogen_l	UG/L	ug/l	None
particulate_organic_nitrogen_mol	UMOL/L	umol l-1	None

Particulate organic nitrogen

6.3.81 POP**Units**

- UG/L
- UMOL/L

Data Type

decimal

POP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
particulate_organic_phosphorus_l	UG/L	ug/l	None
particulate_organic_phosphorus	UMOL/L	umol l-1	None

Particulate organic phosphorus

6.3.82 PCOD

Units

- UG/L

Data Type

decimal

PCOD_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
particulate_chemical_oxygen_demand_l	UG/L	ug/l	None

Particulate chemical oxygen demand

6.3.83 DOP

Units

- UMOL/KG

Data Type

decimal

DOP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_organic_phosphorus	UMOL/KG	umol/kg	None

Dissolved organic phosphorus

6.3.84 TDP

Units

- UMOL/L
- UMOL/KG

Data Type

decimal

TDP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_dissolved_phosphorus_l	UMOL/L	umol l-1	None
total_dissolved_phosphorus	UMOL/KG	umol/kg	None

Total dissolved phosphorus, includes organic and inorganic

6.3.85 DATP

Units

- PMOL/L

Data Type

decimal

DATP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_atp	PMOL/L	pmol/l	None

Dissovled adenosine triphosphate

6.3.86 PATP

Units

- PMOL/L

Data Type

decimal

PATP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
particulate_atp	PMOL/L	pmol/l	None

particulate adenosine triphosphate

6.3.87 TDN

Units

- UMOL/KG

Data Type

decimal

TDN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_dissolved_nitrogen	UMOL/KG	umol/kg	None

Total dissolved nitrogen, includes organic and inorganic

6.3.88 TON

Units

- UMOL/KG
- UMOL/L

Data Type

decimal

TON_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
total_organic_nitrogen	UMOL/KG	umol/kg	None
total_organic_nitrogen_l	UMOL/L	umol l-1	None

Total organic nitrogen, includes particulate and dissolved

6.3.89 NEON

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

NEON_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

NEONER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
neon	NMOL/KG	nmol/kg	None
neon_l	NMOL/L	nmol/l	None

Dissolved elemental neon gas

6.3.90 DELO18**Units**

- /MILLE

Data Type

decimal

DELO18_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

O18ERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
del_oxygen_18	/MILLE	1e-3	None

Enrichment of the 18O/16O isotopic ratio of the sea water itself compared to VSMOW (Vienna Standard Mean Ocean Water).

6.3.91 DELO17**Units**

- /MILLE

Data Type

decimal

DELO17_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
del_oxygen_17	/MILLE	1e-3	None

Enrichment of the 17O/16O isotopic ratio of the sea water itself compared to VSMOW (Vienna Standard Mean Ocean Water).

6.3.92 DELD

Units

- /MILLE

Data Type

decimal

DELD_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

DELDERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
del_deuterium	/MILLE	1e-3	None

Enrichment of deuterium of the sea water itself compared to VSMOW

6.3.93 DELSI30

Units

- /MILLE

Data Type

decimal

DELSI30_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
delsi30	/MILLE	1e-3	None

Enrichment of the $^{30}\text{Si}/^{28}\text{Si}$ isotopic ratio in silica relative to NBS28

6.3.94 DELN15

Units

- /MILLE

Data Type

decimal

DELN15_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
del_nitrogen_15	/MILLE	1e-3	None

Enrichment of the N15/N14 isotopic ratio when compared to the atmosphere

6.3.95 CCL4**Units**

- PMOL/KG
- PMOL/L

Data Type

decimal

CCL4_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

CCL4ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
carbon_tetrachloride	PMOL/KG	pmol/kg	None
carbon_tetrachloride_l	PMOL/L	pmol/l	None

Dissolved carbon tetrachloride

6.3.96 NI**Units**

- UMOL/L

Data Type

decimal

NI_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nickel	UMOL/L	umol l-1	None

Dissolved elemental nickle

6.3.97 ALUMIN

Units

- NMOL/L

Data Type

decimal

ALUMIN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_aluminum	NMOL/L	nmol/l	None

Dissolved elemental aluminium

6.3.98 BARIUM

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

BARIUM_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
barium	NMOL/KG	nmol/kg	None
barium_l	NMOL/L	nmol/l	None

Dissolved elemental barium

6.3.99 CU

Units

- UMOL/L

Data Type

decimal

CU_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
copper	UMOL/L	umol l-1	None

Dissolved elemental copper

6.3.100 FE**Units**

- NMOL/L

Data Type

decimal

FE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
iron	NMOL/L	nmol/l	mole_concentration_of_dissolved_iron_in_sea_water

Dissolved elemental iron

6.3.101 MN**Units**

- NMOL/L

Data Type

decimal

MN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
manganese	NMOL/L	nmol/l	None

Dissolved elemental manganese

6.3.102 CTDFLUOR

Units

- MG/M³
- VOLTS
- None

Data Type

decimal

CTDFLUOR_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_fluor	MG/M ³	mg/ m ³	mass_concentration_of_chlorophyll_in_sea_water
ctd_fluor_raw	VOLTS	volts	None
ctd_fluor_arbitra	None	None	None

In situ chlorophyll measured by a fluorometer

6.3.103 PAR

Units

- UMOL/M²/SEC
- VOLTS

Data Type

decimal

PAR_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
par	UMOL/M ² / SEC	umol m ⁻² s ⁻¹	downwelling_photosynthetic_photon_flux_in_sea_water
par_raw	VOLTS	volts	None

Photosynthetically active radiation. The downwelling photon flux of photons with a wavelength between 400nm and 700nm.

6.3.104 CDOM300

Units

- /METER

Data Type

decimal

CDOM300_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom300	/	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water
	METER		

Attenuation coefficient of the sample at 300nm

6.3.105 CDOM325

Units

- /METER

Data Type

decimal

CDOM325_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom325	/	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water
	METER		

Attenuation coefficient of the sample at 325nm

6.3.106 CDOM340

Units

- /METER

Data Type

decimal

CDOM340_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom340	/ METER	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water

Attenuation coefficient of the sample at 340nm

6.3.107 CDOM370**Units**

- /METER

Data Type

decimal

CDOM370_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom370	/ METER	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water

Attenuation coefficient of the sample at 370nm

6.3.108 CDOM380**Units**

- /METER

Data Type

decimal

CDOM380_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom380	/ METER	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water

Attenuation coefficient of the sample at 380nm

6.3.109 CDOM412

Units

- /METER

Data Type

decimal

CDOM412_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom412	/	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water
	METER		

Attenuation coefficient of the sample at 412nm

6.3.110 CDOM443

Units

- /METER

Data Type

decimal

CDOM443_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
cdom443	/	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water
	METER		

Attenuation coefficient of the sample at 442nm

6.3.111 CDOM490

Units

- /METER

Data Type

decimal

CDOM490_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom490	/ METER	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water

Attenuation coefficient of the sample at 490nm

6.3.112 CDOM555**Units**

- /METER

Data Type

decimal

CDOM555_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom555	/ METER	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water

Attenuation coefficient of the sample at 555nm

6.3.113 SPAR**Units**

- VOLTS

Data Type

decimal

SPAR_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
spar_raw	VOLTS	volts	None

Surfance reference for PAR, usually mounted on the top of the ship with a shield to block upwelling light. The downwelling photon flux of photons with a wavelength between 400nm and 700nm.

6.3.114 CDOM2C

Units

- None

Data Type

decimal

CDOM2C_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom2c	None	None	None

CDOM2 (carbohydrate and neutral sugar) characterization

Note: So far CCHDO doesn't have any data or references on how these data are report, they might go to NASA SeaBASS

6.3.115 CDOM3C

Units

- None

Data Type

decimal

CDOM3C_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom3c	None	None	None

CDOM3 (photolysis) characterization

Note: So far CCHDO doesn't have any data or references on how these data are report, they might go to NASA SeaBASS

6.3.116 CDOMSL

Units

- 1/NM

Data Type

decimal

CDOMSL_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdomsl	1/NM	1/nm	None

Log spectral slope of absorption spectrum (320-400 nm) computed by linear regression of log-transformed data

6.3.117 CDOMSN

Units

- 1/NM

Data Type

decimal

CDOMSN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdomsn	1/NM	1/nm	None

Log spectral slope if absorption spectrum (320-400 nm) computed by non-linear curve fit

6.3.118 I-129

Units

- BQ/M^3
- E7/KG

Data Type

decimal

I-129_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

I129ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
iodine_129	BQ/M^3	Bq m-3	None
iodine_129_conc	E7/KG	1e7 kg-1	None

Dissolved ¹²⁹I in sea water, may be reported as an activity (Bq) or as an ammount of substance (n) but not usually in mols.

6.3.119 PLUTO**Units**

- MBQ/M^3

Data Type

decimal

PLUTO_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

PLUTOER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
plutonium	MBQ/M^3	mBq m-3	None

Plutonium decay rate from all isotopes

6.3.120 RA-226**Units**

- DM/.1MG

Data Type

decimal

RA-226_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

RA-226E

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
radium_226	DM/.1MG	0.000166 Bq/kg	None

Specific activity of ^{226}Ra

Note: units are disintegrations per minute per 100kg

6.3.121 RA-228

Units

- DM/.1MG

Data Type

decimal

RA-228_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

RA-228E

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
radium_228	DM/.1MG	0.000166 Bq/kg	None

Specific activity of ^{228}Ra

Note: units are disintegrations per minute per 100kg

6.3.122 CTDXMISS

Units

- %TRANS
- VOLTS

Data Type

decimal

CTDXMISS_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_transmissometer	%TRANS	1e-2	None
ctd_transmissometer_raw	VOLTS	volts	None

Transmissivity of light in sea water, has path length and wavelength dependencies

Note: Standard rosette mounted transmissometers have a path length of 25cm and operate in the “red” wavelengths of around 640 to 660nm. These wavelengths provide a good estimate of the attenuation due to particles.

6.3.123 CTDBEAMCP

Units

- /METER

Data Type

decimal

CTDBEAMCP_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_w	unit	standard_name
ctd_bea	/	m ⁻¹	volume_beam_attenuation_coefficient_of_radiative_flux_in_sea_water_corrected_for_pure_water_attenuation
	METER		

Radiative flux is the sum of shortwave and longwave radiative fluxes. In accordance with common usage in geophysical disciplines, “flux” implies per unit area, called “flux density” in physics. The volume scattering/absorption/attenuation coefficient is the fractional change of radiative flux per unit path length due to the stated process. Coefficients with canonical units of m² s⁻¹ i.e. multiplied by density have standard names with specific_ instead of volume_. The scattering/absorption/attenuation coefficient is assumed to be an integral over all wavelengths, unless a coordinate of radiation_wavelength is included to specify the wavelength. Attenuation is the sum of absorption and scattering. Attenuation is sometimes called “extinction”. Beam attenuation refers to the decrease of radiative flux along the direction of the incident path. It is distinguished from attenuation of the downwelling component of radiative flux from any incident direction, also called “diffuse” attenuation. Corrected for pure water attendance means the attenuation coefficient has been adjusted/calibrated to remove the influence of absorption/scattering from the water itself.

6.3.124 CTDBETA700

Units

- VOLTS
- M⁻¹/SR

Data Type

decimal

CTDBETA700_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
ctd_beta700_1	VOLTS	volts	None
ctd_beta700	M ⁻¹ /SR	m ⁻¹ sr ⁻¹	volume_scattering_function_of_radiative_flux_in_sea_water

Volume scattering function at 700nm with a centroid angle of 142 degrees.

Boss, E.B. and N. Haëntjens, 2016. Primer regarding measurements of chlorophyll fluorescence and the backscattering coefficient with WETLabs FLBB on profiling floats. SOCCOM Tech. Rep. 2016-1. https://soccom.princeton.edu/sites/default/files/files/SOCCOM_2016-1_Bio-optics-primer.pdf

Warning: This paramter is the bacscattering function (Beta) it is NOT the backscattering coefficient due to particles commonly called Bbp

6.3.125 BEAMAP

Units

- /METER

Data Type

decimal

BEAMAP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
beamap	/METER	m ⁻¹	volume_absorption_coefficient_of_radiative_flux_in_sea_water

Volume beam absorption in sea water

6.3.126 CTDBBP700

Units

- /METER

Data Type

decimal

CTDBBP700_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_bbp700	/METER	m ⁻¹	None

Volume scattering coefficient due to particles at 700nm.

Boss, E.B. and N. Haëntjens, 2016. Primer regarding measurements of chlorophyll fluorescence and the backscattering coefficient with WETLabs FLBB on profiling floats. SOCCOM Tech. Rep. 2016-1. http://soccom.princeton.edu/sites/default/files/files/SOCCOM_2016-1_Bio-opticsprimer.pdf.

Warning: This paramter is the bacscattering coefficient due to particles (Bbp) it is NOT the backscattering function called Beta

6.3.127 CTDBETA650_124

Units

- M^{-1}/SR

Data Type

decimal

CTDBETA650_124_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_uni	units	standard_name
ctd_beta650_1	M^{-1}/SR	$m^{-1} sr^{-1}$	volume_scattering_function_of_radiative_flux_in_sea_water

Volume scattering function at 650nm with a centroid angle of 124 degrees.

Boss, E.B. and N. Haëntjens, 2016. Primer regarding measurements of chlorophyll fluorescence and the backscattering coefficient with WETLabs FLBB on profiling floats. SOCCOM Tech. Rep. 2016-1. https://soccom.princeton.edu/sites/default/files/files/SOCCOM_2016-1_Bio-optics-primer.pdf

Note: This may be incorrectly reported as having an angle of 117 degrees.

Warning: This parameter is the backscattering function (Beta) it is NOT the backscattering coefficient due to particles commonly called Bbp

6.3.128 CTDTURB

Units

- FTU
- NTU
- VOLTS

Data Type

decimal

CTDTURB_FLAG_W Definitions*WOCE CTD Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
ctd_turbidity_ftu	FTU	1	None
ctd_turbidity_ntu	NTU	1	sea_water_turbidity
ctd_turbidity_raw	VOLTS	volts	None

Turbidity describes the light scattered back (or passed through depending on units) depending on particle loading in the water. It is a dimensionless quantity.

6.3.129 CTDCDOM**Units**

- QSU
- VOLTS

Data Type

decimal

CTDCDOM_FLAG_W Definitions*WOCE CTD Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	unit	standard_name
ctd_cdom	QSU	1	concentration_of_colored_dissolved_organic_matter_in_sea_water_expressed_as
ctd_cdom	VOLTS	volt	None

In situ CDOM measured via a uv fluorometer

6.3.130 AR-39**Units**

- PCTMOD

Data Type

decimal

AR-39_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
argon_39	PCTMOD	1e-2	None

³⁹Ar enrichment/depletion compared to modern atmospheric ratios

Note: The units mean ‘% modern’

6.3.131 CS-137

Units

- DM/.1MG
- BQ/M³
- MBQ/KG

Data Type

decimal

CS-137_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cesium_137	DM/.1MG	0.000166 Bq/kg	None
cesium_137_bq	BQ/M ³	Bq m ⁻³	None
cesium_137_bq_kg	MBQ/KG	mBq kg ⁻¹	None

Activity of ¹³⁷Cs in seawater

Note: units are disintegrations per minute per 100kg

6.3.132 CS-134

Units

- BQ/M³
- MBQ/KG

Data Type

decimal

CS-134_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

CS134ER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cesium_134_bq	BQ/M ³	Bq m ⁻³	None
cesium_134_bq_kg	MBQ/KG	mBq kg ⁻¹	None

Activity of ^{134}Cs in seawater

6.3.133 KR-85

Units

- DM/MG

Data Type

decimal

KR-85_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
krypton_85	DM/MG	0.0000166 Bq/kg	None

Specific activity of ^{85}Kr

Note: units are disintegrations per minute per 1000kg

6.3.134 SR-90

Units

- DM/.1MG

Data Type

decimal

SR-90_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
strontium_90	DM/.1MG	0.000166 Bq/kg	None

Specific activity of ^{90}Sr

Note: units are disintegrations per minute per 100kg

6.3.135 N2O

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

N2O_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nitrous_oxide	NMOL/KG	nmol/kg	None
nitrous_oxide_l	NMOL/L	nmol/l	None

Dissolved nitrous oxide gas in sea water

6.3.136 RA-8/6

Units

- None

Data Type

decimal

RA-8/6_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

RA-8/6E

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
radium_228_226	None	None	None

Ratio of the activities of ^{228}Ra to ^{226}Ra

6.3.137 QUALT1

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
quality_word_one	None	None	None

Quality code 1, this is not used in exchange files. In WOCE SEA and CTD files it represents the quality code assigned by the investigator responsible for the measurement. The quality code from QUALT1 is used as the FLAG_W in exchange files if *QUALT2* is not available

6.3.138 QUALT2**Units**

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
quality_word_two	None	None	None

Quality code 2, this is not used in exchange files. In WOCE SEA and CTD files it represents the quality code assigned by an independent data quality evaluator (DQE). When available this is the code used in exchange file FLAG_W columns.

6.3.139 MCHFRM**Units**

- PMOL/KG

Data Type

decimal

MCHFRM_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
methyl_chloroform	PMOL/KG	pmol/kg	None

The concentration of dissolved methyl chloroform in sea water. The IUPAC name for methyl chloroform is 1,1,1-Trichloroethane.

6.3.140 IODATE

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

IODATE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
iodate	NMOL/KG	nmol/kg	None
iodate_l	NMOL/L	nmol/l	None

Dissolved iodate IO_3

6.3.141 IODIDE

Units

- NMOL/KG

Data Type

decimal

IODIDE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
iodide	NMOL/KG	nmol/kg	None

Dissolved elemental iodine

6.3.142 CHLORA

Units

- UG/KG
- UG/L

Data Type

decimal

CHLORA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
chlorophyll_a_ug_	UG/KG	ug/ kg	mass_fraction_of_chlorophyll_a_in_sea_water
chlorophyll_a	UG/L	ug/l	mass_concentration_of_chlorophyll_a_in_sea_water

chlorophyll-a. Chlorophylls are the green pigments found in most plants, algae and cyanobacteria; their presence is essential for photosynthesis to take place. There are several different forms of chlorophyll that occur naturally. All contain a chlorin ring (chemical formula C₂₀H₁₆N₄) which gives the green pigment and a side chain whose structure varies. The naturally occurring forms of chlorophyll contain between 35 and 55 carbon atoms. Chlorophyll-a is the most commonly occurring form of natural chlorophyll. The chemical formula of chlorophyll-a is C₅₅H₇₂O₅N₄Mg.

6.3.143 PPHYTN**Units**

- UG/KG
- UG/L

Data Type

decimal

PPHYTN_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
phaeophytin	UG/KG	ug/kg	None
phaeophytin_ug_l	UG/L	ug/l	None

Phaeophytin

6.3.144 CH3CL**Units**

- PMOL/KG

Data Type

decimal

CH3CL_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
methyl_chloride	PMOL/KG	pmol/kg	None

Concentration of Methyl Chloride

6.3.145 CH4

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

CH4_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
methane	NMOL/KG	nmol/kg	None
methane_l	NMOL/L	nmol/l	None

Methane

6.3.146 DMS

Units

- NMOL/L

Data Type

decimal

DMS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dimethyl_sulfide	NMOL/L	nmol/l	None

The chemical formula for dimethyl sulfide is (CH₃)₂S. Dimethyl sulfide is sometimes referred to as DMS.

6.3.147 N2

Units

- UMOL/KG

Data Type

decimal

N2_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

N2_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nitrogen	UMOL/KG	umol/kg	None

Dissolved elemental nitrogen gas (N₂) in sea water.

6.3.148 CALCIUM**Units**

- MMOL/KG

Data Type

decimal

CALCIUM_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
calcium	MMOL/KG	mmol kg-1	None

Dissolved elemental calcium

6.3.149 ARGON**Units**

- UMOL/KG
- UMOL/L

Data Type

decimal

ARGON_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

ARGONER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
argon	UMOL/KG	umol/kg	None
argon_l	UMOL/L	umol l-1	None

Dissolved elemental argon

6.3.150 14C-DOC

Units

- /MILLE

Data Type

decimal

14C-DOC_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

14C-DOCERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_organic_carbon_14	/MILLE	1e-3	None

Enrichment of ^{14}C vs ^{12}C in DOC compared to a reference standard usually VPDB. This ratio has been corrected for isotopic fractionation and is usually written as upper case delta ^{14}C .

6.3.151 13C-DOC

Units

- /MILLE

Data Type

decimal

13C-DOC_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

13C-DOCERR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dissolved_organic_carbon_13	/MILLE	1e-3	None

Enrichment of ^{13}C vs ^{12}C in DOC compared to a reference standard usually VPDB. This is usually written as lower case delta ^{13}C .

6.3.152 D15N_NO3

Units

- /MILLE

Data Type

decimal

D15N_NO3_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

D15N_NO3_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_no3	/MILLE	1e-3	None

Enrichment of the 15N/14N isotopic ratio of dissolved nitrate

6.3.153 D15N_NO2

Units

- /MILLE

Data Type

decimal

D15N_NO2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_no2	/MILLE	1e-3	None

Enrichment of the 15N/14N isotopic ratio of dissolved nitrite

6.3.154 D15N_NH4

Units

- /MILLE

Data Type

decimal

D15N_NH4_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_nh4	/MILLE	1e-3	None

Enrichment of the $^{15}\text{N}/^{14}\text{N}$ isotopic ratio of dissolved ammonium

6.3.155 D15N_N2O**Units**

- /MILLE

Data Type

decimal

D15N_N2O_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_n2o	/MILLE	1e-3	None

Enrichment of the $^{15}\text{N}/^{14}\text{N}$ isotopic ratio of dissolved nitrus oxide, this parameter a subsitution of ^{15}N for ^{14}N in either position of the molecule. This is sometimes called “bulk” D15N.

6.3.156 D15N_ALPHA_N2O**Units**

- /MILLE

Data Type

decimal

D15N_ALPHA_N2O_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_alpha_n2o	/MILLE	1e-3	None

Enrichment of ^{15}N vs ^{14}N in N_2O (nitrous oxide) where the substitution has occurred at the center position of the N_2O molecule as compared to a standard. N_2O where the substitution has occurred in the end nitrogen atom is called D15N_BETA and is not usually measured. D15N_BETA can be calculated from bulk D15N and D15N_ALPHA using equation 25 from Toyoda and Yoshida 1999 [Toyoda1999]

$$\delta^{15}\text{N}^{\beta} = \delta^{15}\text{N}^{\text{bulk}} + A(\delta^{15}\text{N}^{\text{bulk}} - \delta^{15}\text{N}^{\alpha})/(2 - A)$$

Toyoda and Yoshida give the value of $A=0.998$, though this needs to be determined experimentally for the standard in use. We have seen data using a value of $A=1$ in data submitted to CCHDO.

6.3.157 D15N_NO2+NO3**Units**

- /MILLE

Data Type

decimal

D15N_NO2+NO3_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

D15N_NO2+NO3_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_nitrite_nitrate	/MILLE	1e-3	None

Ratio of 15N to 14N of nitrite+nitrate in the sample vs the ratio of 15N to 14N in a reference standard (VMSOW)

6.3.158 D15N_PON**Units**

- /MILLE

Data Type

decimal

D15N_PON_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
d15n_pon	/MILLE	1e-3	None

Enrichment of the 15N/14N isotopic ratio of particulate organic nitrogen

6.3.159 D15N_TDN**Units**

- /MILLE

Data Type

decimal

D15N_TDN_FLAG_W Definitions*WOCE Water Sample Quality Codes*

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_tdn	/MILLE	1e-3	None

Enrichment of the 15N/14N isotopic ratio of total dissolved nitrogen

6.3.160 D18O_NO2+NO3**Units**

- /MILLE

Data Type

decimal

D18O_NO2+NO3_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

D18O_NO2+NO3_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d18o_nitrite_nitrate	/MILLE	1e-3	None

Ratio of 18O to 16O of nitrite+nitrate in the sample vs the ratio of 18O to 16O of a reference standard (VMSOW)

6.3.161 D18O_NO3**Units**

- /MILLE

Data Type

decimal

D18O_NO3_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

D18O_NO3_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d18o_nitrate	/MILLE	1e-3	None

Ratio of 18O to 16O of nitrate in the sample vs the ratio of 18O to 16O of a reference standard (VMSOW)

6.3.162 D18O_NO2

Units

- /MILLE

Data Type

decimal

D18O_NO2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d18o_nitrite	/MILLE	1e-3	None

Ratio of 18O to 16O of nitrite in the sample vs the ratio of 18O to 16O of a reference standard (VMSOW)

6.3.163 D18O_N2O

Units

- /MILLE

Data Type

decimal

D18O_N2O_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d18o_nitrus_oxide	/MILLE	1e-3	None

Ratio of 18O to 16O of nitrus oxide in the sample vs the ratio of 18O to 16O of a reference standard (VMSOW)

6.3.164 UREA

Units

- UMOL/KG

Data Type

decimal

UREA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
urea	UMOL/KG	umol/kg	None

Urea has the chemical formula $\text{CO}(\text{NH}_2)_2$

6.3.165 TOT_CHL_A

Units

- MG/M^3

Data Type

decimal

TOT_CHL_A_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_tot_chl_a	MG/M^3	mg/m^3	mass_concentration_of_chlorophyll_a_in_sea_water

Total chlorophyll a measured using HPLC

SeaBass Description: $\text{HPLC DV_Chl_a} + \text{MV_Chl_a} + \text{Chlide_a} + \text{Chl_a_allom} + \text{Chl_a_prime}$

Note: A different measurement than *CHLORA*

6.3.166 TOT_CHL_B

Units

- MG/M^3

Data Type

decimal

TOT_CHL_B_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_tot_chl_b	MG/M^3	mg/m^3	mass_concentration_of_chlorophyll_b_in_sea_water

$\text{HPLC DV_Chl_b} + \text{MV_Chl_b}$

6.3.167 TOT_CHL_C

Units

- MG/M³

Data Type

decimal

TOT_CHL_C_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_tot_chl_c	MG/M ³	mg/ m ³	mass_concentration_of_chlorophyll_c_in_sea_water

HPLC chl_c1 + chl_c2 (chl_c1c2) + chl_c3

6.3.168 ALPHA-BETA-CAR

Units

- MG/M³

Data Type

decimal

ALPHA-BETA-CAR_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_alpha_beta_carot_c	MG/M ³	mg/ m ³	mass_concentration_of_carotene_in_sea_water

HPLC Alpha (Beta,epsilon) + Beta (Beta,beta) Carotenes

6.3.169 BUT-FUCO

Units

- MG/M³

Data Type

decimal

BUT-FUCO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_un	units	standard_name
hplc_19butanoyloxyfu	MG/ M ³	mg/ m ³	mass_concentration_of_19_butanoyloxyfucoxanthin_in_sea_wate

HPLC 19'-Butanoyloxyfucoxanthin

6.3.170 HEX-FUCO**Units**

- MG/M³

Data Type

decimal

HEX-FUCO_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_un	units	standard_name
hplc_19_hexanoyloxyf	MG/ M ³	mg/ m ³	mass_concentration_of_19_hexanoyloxyfucoxanthin_in_sea_wat

HPLC 19'-Hexanoyloxyfucoxanthin

6.3.171 ALLO**Units**

- MG/M³

Data Type

decimal

ALLO_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_alloxanthin	MG/M ³	mg/m ³	None

HPLC Alloxanthin

6.3.172 ANTH

Units

- MG/M³

Data Type

decimal

ANTH_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hpld_antheraxanthin	MG/M ³	mg/m ³	None

HPLC Antheraxanthin

6.3.173 DIADINO

Units

- MG/M³

Data Type

decimal

DIADINO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_diadinoxanthin	MG/M ³	mg/m ³	mass_concentration_of_diadinoxanthin_in_sea_water

HPLC Diadinoxanthin

6.3.174 DIATO

Units

- MG/M³

Data Type

decimal

DIATO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_diatoxanthin	MG/M^3	mg/m^3	None

HPLC Diatoxanthin

6.3.175 HFUCO

Units

- MG/M^3

Data Type

decimal

HFUCO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_fucoxanthi	MG/M^3	mg/ m^3	mass_concentration_of_fucoxanthin_in_sea_water

HPLC Fucoxanthin

6.3.176 PERID

Units

- MG/M^3

Data Type

decimal

PERID_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_peridinin	MG/M^3	mg/ m^3	mass_concentration_of_peridinin_in_sea_water

HPLC Peridinin

6.3.177 ZEA**Units**

- MG/M³

Data Type

decimal

ZEA_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_zeaxanthin	MG/M ³	mg/ m ³	mass_concentration_of_zeaxanthin_in_sea_water

HPLC Zeaxanthin

6.3.178 MV_CHL_A**Units**

- MG/M³

Data Type

decimal

MV_CHL_A_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_un:	units	standard_name
hplc_monovinyl_chlor	MG/ M ³	mg/ m ³	mass_concentration_of_monovinyl_chlorophyll_a_in_sea_water

HPLC Monovinyl Chlorophyll a

6.3.179 DV_CHL_A**Units**

- MG/M³

Data Type

decimal

DV_CHL_A_FLAG_W Definitions*WOCE Water Sample Quality Codes*

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_divinyl_chloro	MG/ M^3	mg/ m^3	mass_concentration_of_divinyl_chlorophyll_a_in_sea_water

HPLC Divinyl Chlorophyll a

6.3.180 CHLIDE_A**Units**

- MG/M^3

Data Type

decimal

CHLIDE_A_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_chlorophyllide	MG/M^3	mg/ m^3	mass_concentration_of_chlorophyllide_a_in_sea_water

HPLC Chlorophyllide a

6.3.181 MV_CHL_B**Units**

- MG/M^3

Data Type

decimal

MV_CHL_B_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_monovinyl_chlorophyll_b	MG/M^3	mg/m^3	None

HPLC Monovinyl Chlorophyll b

6.3.182 DV_CHL_B

Units

- MG/M³

Data Type

decimal

DV_CHL_B_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_divinyl_chlorophyll_b	MG/M ³	mg/m ³	None

HPLC Divinyl Chlorophyll B

6.3.183 CHL_C1C2

Units

- MG/M³

Data Type

decimal

CHL_C1C2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_un	units	standard_name
hplc_chlorophyll	MG/ M ³	mg/ m ³	mass_concentration_of_chlorophyll_c1_and_chlorophyll_c2_in_sea_

HPLC Chlorophyll c1 + c2

6.3.184 CHL_C2

Units

- MG/M³

Data Type

decimal

CHL_C2_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_chlorophyll_c2	MG/M^3	mg/m^3	None

HPLC Chlorophyll c2

6.3.185 CHL_C3

Units

- MG/M^3

Data Type

decimal

CHL_C3_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_chlorophyll_c3	MG/M^3	mg/m^3	mass_concentration_of_chlorophyll_c3_in_sea_water

HPLC Chlorophyll c3

6.3.186 LUT

Units

- MG/M^3

Data Type

decimal

LUT_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_lutein	MG/M^3	mg/m^3	mass_concentration_of_lutein_in_sea_water

HPLC Lutein

6.3.187 NEO

Units

- MG/M³

Data Type

decimal

NEO_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_neoxanthin	MG/M ³	mg/m ³	None

HPLC Neoxanthin

6.3.188 VIOLA

Units

- MG/M³

Data Type

decimal

VIOLA_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_violaxanthi	MG/M ³	mg/ m ³	mass_concentration_of_violaxanthin_in_sea_water

HPLC Violaxanthin

6.3.189 PHYTIN_A

Units

- MG/M³

Data Type

decimal

PHYTIN_A_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
hplc_pheophytin_a	MG/M^3	mg/m^3	None

HPLC Pheophytin a

6.3.190 PHIDE_A

Units

- MG/M^3

Data Type

decimal

PHIDE_A_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_pheophorbide_a	MG/M^3	mg/m^3	None

HPLC Pheophorbide a

6.3.191 PRAS

Units

- MG/M^3

Data Type

decimal

PRAS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_prasinoxanthin	MG/M^3	mg/m^3	mass_concentration_of_prasinoxanthin_in_sea_water

HPLC Prasinoxanthin

6.3.192 GYRO

Units

- MG/M³

Data Type

decimal

GYRO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_gyroxanthin_diester	MG/M ³	mg/m ³	None

HPLC Gyroxanthin-Diester

6.3.193 BTL_DATE

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_date	None	None	None

Date of an individual bottle closure in the same format as *DATE*, for the canonical reported station date, use *DATE*

6.3.194 BTL_TIME

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_time	None	None	None

Time of an individual bottle closure in the same format as *TIME*, for the canonical reported station time, use *TIME*

6.3.195 CTDDEPTH

Units

- METERS

Data Type

decimal

CTDDEPTH_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
package_depth	METERS	meters	depth

The calculated depth of the CTD itself for this pressure level

Warning: DEPTH without the CTD prefix is the distance to the sea floor.

6.3.196 ODF_CTDPRS

Units

- DBAR

Data Type

decimal

ODF_CTDPRS_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
odf_pressure	DBAR	dbar	None

The pressure as corrected by ODF acquisition software. It will often be equivalent to the reported CTDPRS value. When ODF_CTDPRS is present in a datafile, the CTDPRS value came from the instrument manufacturers acquisition software.

6.3.197 BTL_LAT

Units

- None

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_latitude	None	None	latitude

Latitude (ship position) of an individual bottle closure in the same format as *LATITUDE*, for the canonical reported station latitude, use *LATITUDE*

6.3.198 BTL_LON**Units**

- None

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bottle_longitude	None	None	longitude

Longitude (ship position) of an individual bottle closure in the same format as *LONGITUDE*, for the canonical reported station longitude, use *LONGITUDE*

6.3.199 CTDNOBS**Units**

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_number_of_observations	None	None	number_of_observations

The number of discrete observations from which the values of another data variable have been derived

6.3.200 CTDETIME

Units

- SECONDS

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_elapsed_time	SECONDS	seconds	None

The elapsed time of CTD pressure bin

6.3.201 INSTRUMENT_ID

Units

- None

Data Type

string

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
instrument_id	None	None	None

The serial number of the CTD. In the case of SBE9plus, this is the serial number of the main housing, not the sensors.

6.3.202 SAMPLING_RATE

Units

- HZ

Data Type

decimal

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ctd_sampling_rate	HZ	1/s	None

The sampling rate of the CTD

6.3.203 THETA

Units

- DEG C
- ITS-90
- IPTS-68

Data Type

decimal

THETA_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
potential_temperature_c	DEG C	degC	sea_water_potential_temperature
potential_temperature	ITS-90	degC	sea_water_potential_temperature
potential_temperature_68	IPTS-68	degC	sea_water_potential_temperature

Sea water potential temperature is the temperature a parcel of sea water would have if moved adiabatically to sea level pressure.

Note: Typically does not have quality flags.

6.3.204 AOU

Units

- UMOL/KG

Data Type

decimal

AOU_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
apparent_oxygen_utilization	UMOL/KG	umol/ kg	apparent_oxygen_utilization

Apparent Oxygen Utilization (AOU) is the difference between measured dissolved oxygen concentration in water, and the equilibrium saturation concentration of dissolved oxygen in water with the same physical and chemical properties.

6.3.205 ARABI

Units

- NMOL/KG

Data Type

decimal

ARABI_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
arabinose	NMOL/KG	nmol/kg	None

Concentration of Arabinose after hydrolysis

6.3.206 BACT

Units

- E8/L

Data Type

decimal

BACT_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bacterial_cell_count	E8/L	1e8 l-1	None

Cell count of non pigmented heterotrophic bacterioplankton through FCM

6.3.207 CELLCOUNT

Units

- /L

Data Type

decimal

CELLCOUNT_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cellcount	/L	l-1	None

Count of all organic cells in a discrete sample

6.3.208 SYN

Units

- E6/L

Data Type

decimal

SYN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
synechococcus_cell_count	E6/L	1e6 l-1	None

Synechococcus Cell Count

6.3.209 PEUK

Units

- E6/L

Data Type

decimal

PEUK_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
picoeukaryote_cell_counts	E6/L	1e6 l-1	None

Pigmented Picoeukaryotes cell count

6.3.210 PROC

Units

- E7/L

Data Type

decimal

PROC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
prochlorophyte_cell_count	E7/L	1e7 l-1	None

Prochlorophyte Cell Count

6.3.211 BLACKC**Units**

- UMOL/L

Data Type

decimal

BLACKC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
black_carbon	UMOL/L	umol l-1	None

Black carbon (e.g. soot) concentration

6.3.212 BRDU**Units**

- PMOL/L/H

Data Type

decimal

BRDU_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
brdu_uptake	PMOL/L/H	pmol l-1 h-1	None

Bacterial Production via BrdU (Bromodeoxyuridine) uptake Method

6.3.213 CH3BR

Units

- PMOL/KG

Data Type

decimal

CH3BR_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
methyl_bromide	PMOL/KG	pmol/kg	None

Concentration of Methyl Bromide

6.3.214 CH3I

Units

- PMOL/KG

Data Type

decimal

CH3I_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
methyl_iodide	PMOL/KG	pmol/kg	None

Concentration of Methyl Iodide

6.3.215 DCNS

Units

- NMOL/KG

Data Type

decimal

DCNS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dcns	NMOL/KG	nmol/kg	None

Dissolved Combined Neutral Sugars

6.3.216 FUCO

Units

- NMOL/KG

Data Type

decimal

FUCO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fucose	NMOL/KG	nmol/kg	None

Concentration of Fucose after hydrolyses

6.3.217 GALA

Units

- NMOL/KG

Data Type

decimal

GALA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
galactose	NMOL/KG	nmol/kg	None

Concentration of Galactose after hydrolysis

6.3.218 GLUC

Units

- NMOL/KG

Data Type

decimal

GLUC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
glucose	NMOL/KG	nmol/kg	None

Concentration of Glucose after hydrolysis

6.3.219 MAN**Units**

- NMOL/KG

Data Type

decimal

MAN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
mannose	NMOL/KG	nmol/kg	None

Concentration of Mannose after hydrolysis

6.3.220 RHAM**Units**

- NMOL/KG

Data Type

decimal

RHAM_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
rhamnose	NMOL/KG	nmol/kg	None

Concentration of Rhamnose after hydrolysis

6.3.221 LAB_DEN

Units

- KG/M³

Data Type

decimal

LAB_DEN_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
density	KG/M ³	kg m ⁻³	None

Density measured in a lab, not calculated from temperature, salinity, and pressure

6.3.222 KRYPTON

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

KRYPTON_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

KRYPTONER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
krypton	NMOL/KG	nmol/kg	None
krypton_l	NMOL/L	nmol/l	None

Dissolved krypton gas in seawater

6.3.223 XENON

Units

- NMOL/KG
- NMOL/L

Data Type

decimal

XENON_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

XENONER

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
xenon	NMOL/KG	nmol/kg	None
xenon_l	NMOL/L	nmol/l	None

Dissolved xenon gas in sea water

6.3.224 PIGMENTS**Units**

- None

Data Type

decimal

PIGMENTS_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
pigments	None	None	None

Phytoplankton pigments

Note: This is almost always a placeholder for samples collected for HPLC analysis later, the results of which are published at NASA SeaBASS

6.3.225 SALTREF**Units**

- G/KG

Data Type

decimal

SALTREF_FLAG_W Definitions*WOCE Water Sample Quality Codes***CF/netCDF Attributes**

nc_var name	whp_unit	units	standard_name
reference_salinity	G/KG	g/kg	sea_water_reference_salinity

Salinity reported on the Reference-Composition Salinity Scale, reported in units of “absolute salinity” (g/kg). If a sea water sample has the Reference Composition (defined in Millero et al., 2008), then its Reference Salinity is the best available estimate of its Absolute Salinity. For general purposes, Reference Salinity is (35.16504 g kg⁻¹)/35 times Practical Salinity. Reference: www.teos-10.org; Millero et al., 2008 doi: 10.1016/j.dsr.2007.10.001.

Note: See “The composition of Standard Seawater and the definition of the Reference-Composition Salinity Scale” by Millero et. al (2007) 10.1016/j.dsr.2007.10.001

6.3.226 SF5CF3

Units

- FMOL/KG
- FMOL/L

Data Type

decimal

SF5CF3_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
trifluoromethylsulfur_pentafluoride	FMOL/KG	fmol/kg	None
trifluoromethylsulfur_pentafluoride_1	FMOL/L	fmol/l	None

Concentration of Trifluoromethyl Sulfur Pentafluoride

6.3.227 DWNPRS

Units

- DBAR

Data Type

decimal

DWNPRS_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
downcast_pressure	DBAR	dbar	sea_water_pressure

Pressure on the downcast for the same isopycnal as the upcast

6.3.228 DWNOXY

Units

- UMOL/KG

Data Type

decimal

DWNOXY_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
downcast_oxygen	UMOL/KG	umol/ kg	moles_of_oxygen_per_unit_mass_in_sea_water

CTD Oxygen on the downcast for the same isopycnal as the upcast

6.3.229 SIG0

Units

- KG/M^3

Data Type

decimal

SIG0_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
sigma0	KG/M^3	kg m-3	sea_water_sigma_theta

Potential density anomaly referenced to 0 dbar (ocean surface)

6.3.230 SOMSAL

Units

- PSS-78

Data Type

decimal

SOMSAL_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
somma_salinity	PSS-78	1	sea_water_practical_salinity

Salinity measured by a Single-Operator Multiparameter Metabolic Analyzer (SOMMA), used in sea water CO2 analysis

6.3.231 HPLC

Units

- None

Data Type

string

HPLC_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
hplc_placeholder	None	None	None

High-performance liquid chromatography

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

Warning: These data do not get submitted to CCHDO, most are sent to NASA SeaBASS

6.3.232 DNA

Units

- None

Data Type

string

DNA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dna_placeholder	None	None	None

Genetic analysis

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

Warning: These data to not get submitted to CCHDO

6.3.233 UPTAKE

Units

- None

Data Type

string

UPTAKE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
update_placeholder	None	None	None

Measures of uptake in incubation experiments

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.234 FCM

Units

- None

Data Type

string

FCM_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
flow_cytometry_placeholder	None	None	None

Flow Cytometry

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

Warning: These data to not get submitted to CCHDO

6.3.235 ABUNDANCE

Units

- None

Data Type

string

ABUNDANCE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
abundance_placeholder	None	None	None

Placeholder for cell counts of species

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.236 SIP

Units

- None

Data Type

string

SIP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
stable_isotope_probing_placeholder	None	None	None

Stable isotope probing.

This describes samples taken for an uptake analysis which introduces stable isotopes and measures their uptake over a period of time.

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.237 QUOTA

Units

- None

Data Type

string

QUOTA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
quota_placeholder	None	None	None

Placeholder for cell-quota model measurements

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.238 IMAGES

Units

- None

Data Type

string

IMAGES_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
image_placeholder	None	None	None

Imaging; for example a FlowCam

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.239 VIRAL_ABUNDANCE

Units

- None

Data Type

string

VIRAL_ABUNDANCE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
viral_abundance_placeholder	None	None	None

Placeholder parameter for a viral abundance analysis

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.240 CDOM_NASA

Units

- None

Data Type

string

CDOM_NASA_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom_nasa_placeholder	None	None	None

Placeholder for CDOM spectral absorptions performed by a group from NASA

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.241 CDOM_UCSB

Units

- None

Data Type

string

CDOM_UCSB_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cdom_ucsb_placeholder	None	None	None

Placeholder for CDOM spectral absorptions performed by a group from UCSB

Note: This is a placeholder parameter which indicates water collected from a bottle for analysis

6.3.242 MICROGELS

Units

- 1E6 GELS/L

Data Type

decimal

MICROGELS_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
microgel_abundance	1E6 GELS/L	1e6 l-1	None

Count of microgels per liter (abundance). Microgels are small organic particles formed by self-assembly and ionic bridging between organic macromolecules.

6.3.243 N2/ARGON

Units

- None

Data Type

decimal

N2/ARGON_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

N2/ARGON_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
n2_argon_ratio	None	None	None

Ratio of dissolved elemental nitrogen to dissolved argon

6.3.244 N2/ARGON_UNSTRIPPED**Units**

- None

Data Type

decimal

N2/ARGON_UNSTRIPPED_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

N2/ARGON_UNSTRIPPED_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
n2_argon_ratio_unstripped	None	None	None

Ratio of dissolved elemental nitrogen to dissolved argon that has not been stripped of dissolved oxygen

Note: This is still fundamentally an N2/ARGON measurement and is a variation on an analytical technique. If following the corrections described in Charoenpong et al 2014 (DOI: 10.4319/lom.2014.12.323) then this should be comparable with any other N2/ARGON measurement but have a slightly larger uncertainty.

6.3.245 D15N_N2**Units**

- /MILLE

Data Type

decimal

D15N_N2_FLAG_W Definitions*WOCE Water Sample Quality Codes***Error Column Label**

D15N_N2_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
d15n_n2	/MILLE	1e-3	None

Enrichment of the $^{15}\text{N}/^{14}\text{N}$ isotopic ratio of dissolved elemental nitrogen. The usual reference material is the atmosphere of Earth (AIR).

6.3.246 O2/AR**Units**

- None

Data Type

decimal

O2/AR_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
o2_ar	None	None	None

Oxygen to Argon ratio

6.3.247 SMDEPTH**Units**

- METERS

Data Type

decimal

SMDEPTH_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
sm_depth	METERS	meters	None

Depth calculated from pressure using the Saunders-Mantyla method.

In the ODF software this is cited as follows:

Saunders, P. M., 1981. Practical Conversion of Pressure to Depth. *Journal of Physical Oceanography* 11, 573-574.
Mantyla, A. W., 1982-1983. Private correspondence.

6.3.248 FMDEPTH

Units

- METERS

Data Type

decimal

FMDEPTH_FLAG_W Definitions

WOCE CTD Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
fm_depth	METERS	meters	None

Depth calculated from pressure using the Fofonoff and Millard method, also known as the UNESCO 1983 formula

6.3.249 CYANB

Units

- 1/ML

Data Type

decimal

CYANB_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
cyanobacteria_cell_count	1/ML	ml-1	None

Count of cyanobacteria

6.3.250 PHYTOP

Units

- 1/ML

Data Type

decimal

PHYTOP_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
phytoplankton_cell_count	1/ML	ml-1	None

Count of phytoplankton

6.3.251 HE3_HE4_RATIO

Units

- None

Data Type

decimal

HE3_HE4_RATIO_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
he3_he4_ratio	None	None	None

Ratio of the stable isotopes of Helium-3 to Helium-4 that are dissolved in seawater

6.3.252 Nd_143_144_D_EPSILON_BOTTLE

Units

- 10000

Data Type

decimal

Nd_143_144_D_EPSILON_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

Nd_143_144_D_EPSILON_BOTTLE_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nd_143_144_d_epsilon_bottle	10000	1e4	None

Atom ratio of dissolved Nd isotopes expressed in conventional notation

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.253 Nd_143_144_D_RATIO_BOTTLE

Units

- None

Data Type

decimal

Nd_143_144_D_RATIO_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

Nd_143_144_D_RATIO_BOTTLE_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nd_143_144_d_ratio_bottle	None	None	None

Atom ratio of dissolved Nd isotopes

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.254 Nd_D_CONC

Units

- PMOL/KG

Data Type

decimal

Nd_D_CONC_FLAG_W Definitions

WOCE Water Sample Quality Codes

Error Column Label

Nd_D_CONC_ERROR

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
nd_d_conc	PMOL/KG	pmol/kg	None

Concentration of dissolved “bulk” Neodymium in sea water

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.255 La_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

La_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
la_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Lanthanum in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.256 Ce_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Ce_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ce_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Cerium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.257 Pr_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Pr_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
pr_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Praseodymium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.258 Sm_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Sm_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
sm_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Samarium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.259 Eu_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Eu_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
eu_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Europium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.260 Gd_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Gd_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
gd_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Gadolinium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.261 Tb_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Tb_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
tb_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Terbium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.262 Dy_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Dy_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
dy_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Dysprosium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.263 Ho_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Ho_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ho_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Holmium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.264 Er_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Er_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
er_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Erbium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.265 Tm_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Tm_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
tm_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Thulium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.266 Yb_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Yb_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
yb_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Ytterbium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.267 Lu_D_CONC_BOTTLE

Units

- PMOL/L

Data Type

decimal

Lu_D_CONC_BOTTLE_FLAG_W Definitions

WOCE Water Sample Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
lu_d_conc_bottle	PMOL/L	pmol/l	None

Dissolved Lutetium in a discrete bottle sample

Note: For maximum data reusability, we decided to use GEOTRACES naming conventions

6.3.268 STNNBR_U

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
user_station_number	None	None	None

User convenience statio number, unlike the canonical STNNBT param, this one must be an integer (so the NBR part of the name makse sense)

6.3.269 SAMPNO_U

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
user_sample_number	None	None	None

User convenience sample number, unlike the canonical SAMPNO param, this one must be an integer (so the NO part of the name make sense)

6.3.270 BTLNBR_U

Units

- None

Data Type

integer

BTLNBR_U_FLAG_W Definitions

WOCE Bottle Quality Codes

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
user_bottle_number	None	None	None

User convenience bottle number, unlike the canonical BTLNBR param, this one must be an integer (so the NBR part of the name make sense)

6.3.271 LDEO_SAMPNO

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
ldeo_sample_number	None	None	None

Sample number used internally by LDEO

6.3.272 BNLID

Units

- None

Data Type

integer

CF/netCDF Attributes

nc_var name	whp_unit	units	standard_name
bnlid	None	None	None

Brookhaven National Laboratory Identification bottle number

CHANGELOG

7.1 2024-03-22 (1.2.1)

Update CCHDO Params to 2024.3

7.2 2022-03-22

Update CCHDO params list to 0.1.17

7.3 2022-01-25

This is a list of all the relevant changes which have occurred since the last time this log was edited, it was shamefully neglected by the lead author.

7.3.1 Major Changes

- Added parameter scope as a property, parameters must now have a scope of “cruise”, “profile”, or “sample”. Cruise scoped parameters must be constant for an entire cruise (currently no parameters have this property, including Expocode) Profile scoped parameters must be constant for an entire profile (e.g. date, time, lat, lon, etc..). Sample scoped parameters may vary within a profile, these are normal data. Parameters appearing in CTD headers are now required to have a “profile” scope. This removes the ability for undocumented “user” headers to appear in the CTD headers section. Use comments instead for these extra bits of information.
- Removed “ARBITRARY” as a valid unit for any parameter. This was originally added to deal with some turbidity parameters which had “arbitrary” units, this was later discovered to be FNU/NTU which, while “arbitrary”, are very specific. Additionally “ARBITRARY” was starting to be used erroneously for parameters which are unitless (e.g. counts and ratios). Going forward, specific parameters, if any, will be documented as ARBITRARY on a case by case basis in the parameters database.
- The parameters database was spun off into a separate project (parameter updates are [documented elsewhere now](#))

7.3.2 Minor Changes

- Added digit characters to allowed list of chars in STNNBR, SAMPNO, and BTLNBR.
- Added GEOTR_EVENT and GEOTR_SAMPNO parameter names
- A bunch of technical changes to how the params list page is generated.
- Misc spelling corrections
- Added CTDXMISSCP as a name
- Prefixed most ctd parameters with CTD
- Removed BTLNBR as part of the sample identifying composite key to align with WOCE documentation
- Added BIOS_CASTID definition
- Linked a parameters uncertainty name to the parameter itself (e.g. DELC14 and C14ERR)
- Added a bunch of CF standard names
- Added some WHP Parameter ID numbers, these are the numbers seen in sumfiles.
- Added a “reference_scale” attribute to temperature and practical salinity parameters.
- Started on a table to display the various options/known units for each parameter.

7.4 2016-01-08 (1.2)

- Add section on missing values (-999). This was a major omission from the 1.0 release.

7.5 2016-01-06 (1.1)

- Add an ARBITRARY unit that any parameter MAY use.

7.6 2015-11-16 (1.0.1)

- Added Parameters
 - XMISS [0-5VDC]
 - FLUOR [0-5VDC]
 - CTDNOBS
 - CTDETIME [SECONDS]

7.7 2015-10-29

- Organized the text encoding requirements better.
- Added note about requirement levels following RFC 2119.

7.8 2015-04-27

- Define the structure of a `_ct1.zip` archive.

7.9 2015-01-21

- Parameters no longer will have a print format, now will just have a data type

7.10 2014-08-18

- Less restrictive parameter names and units.
- Specify how numerical data should appear.
- CCHDO now keeps numerical precision of data found in files

7.11 2014-07-24

- Require parameter names in an exchange file to be unique.

7.12 2014-07-16

- Changed stated file encoding to UTF-8 rather than ASCII. Some of the WHP-exchange bottle files have non-ASCII in the citations.

BIBLIOGRAPHY

- [Toyoda1999] Determination of Nitrogen Isotopomers of Nitrous Oxide on a Modified Isotope Ratio Mass Spectrometer; Sakae Toyoda and Naohiro Yoshida; *Analytical Chemistry* 1999 71 (20), 4711-4718; DOI: 10.1021/ac9904563

INDEX

R

RFC

RFC 2119, [2](#)